

Section 17. 10-bit Analog-to-Digital Converter (ADC)

HIGHLIGHTS

This section of the manual contains the following major topics:

17.1	Introduction	
17.2	Control Registers	
17.3	ADC Operation, Terminology and Conversion Sequence	
17.4	ADC Module Configuration	
17.5	Miscellaneous ADC Functions	
17.6	Initialization	
17.7	Interrupts	
17.8	Operation During Sleep and Idle Modes	
17.9	Effects of Various Resets	
17.10	Related Application Notes	
17.11	Revision History	

Note: This family reference manual section is meant to serve as a complement to device data sheets. Depending on the device variant, this manual section may not apply to all PIC32 devices.

Please consult the note at the beginning of the **"10-bit Analog-to-Digital Converter (ADC)**" chapter in the current device data sheet to check whether this document supports the device you are using.

Device data sheets and family reference manual sections are available for download from the Microchip Worldwide Web site at: http://www.microchip.com

17.1 INTRODUCTION

The PIC32 10-bit Analog-to-Digital Converter (ADC) includes the following features:

- Successive Approximation Register (SAR) conversion
- Up to 16 analog input pins
- External voltage reference input pins
- One unipolar differential Sample-and-Hold Amplifier (SHA)
- Automatic Channel Scan mode
- · Selectable conversion trigger source
- · 16-word conversion result buffer
- Selectable Buffer Fill modes
- Eight conversion result format options
- Operation during CPU Sleep and Idle modes

Figure 17-1 illustrates a block diagram of the 10-bit ADC. The 10-bit ADC can have up to 16 analog input pins, AN0 through AN15. In addition, there are two analog input pins for external voltage reference connections. These voltage reference inputs may be shared with other analog input pins and may be common to other analog module references. The actual number of analog input pins and external voltage reference input configuration will depend on the specific PIC32 device. Refer to the specific device data sheet for more information.

The analog inputs are connected through two multiplexers to one SHA. The analog input multiplexers can be switched between two sets of analog inputs between conversions. Unipolar differential conversions are possible on all channels, other than the pin used as the reference, using a reference input pin (see Figure 17-1).

The Analog Input Scan mode sequentially converts user-specified channels. A control register specifies which analog input channels will be included in the scanning sequence.

The 10-bit ADC is connected to a 16-word result buffer. Each 10-bit result is converted to one of eight 32-bit output formats when it is read from the result buffer.



Figure 17-1: 10-bit High-Speed ADC Block Diagram

17

0-bit Analog-to-Dic Converter (ADC)

17.2 CONTROL REGISTERS

The ADC module has the following Special Function Registers (SFRs):

- AD1CON1: ADC Control Register 1
- AD1CON2: ADC Control Register 2
- AD1CON3: ADC Control Register 3

The AD1CON1, AD1CON2 and AD1CON3 registers control the operation of the ADC module.

AD1CHS: ADC Input Select Register

The AD1CHS register selects the input pins to be connected to the SHA.

• AD1PCFG: ADC Port Configuration Register^(1,2)

The AD1PCFG register configures the analog input pins as analog inputs or as digital I/O.

• AD1CSSL: ADC Input Scan Select Register⁽¹⁾

The AD1CSSL register selects inputs to be sequentially scanned.

Table 17-1 provides a summary of all ADC-related registers, including their addresses and formats. Corresponding registers appear after the summary, followed by a detailed description of each register. All unimplemented registers and/or bits within a register read as zero.

Name		Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit Bit Bit 28/20/12/4 27/19/11/3 26/18/10/2		Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0	
AD1CON1 ^(1,2,3)	31:24	—	—	—	—	—	—	—	—	
	23:16	_	_			—	_	_	_	
	15:8	ON	_	SIDL	—	—		FORM<2:0>		
	7:0		SSRC<2:0>		CLRASAM	—	ASAM	SAMP	DONE	
AD1CON2 ^(1,2,3)	31:24	—	—	—	—	—	—	—	—	
	23:16	_	_	_	—	—	_	_	_	
	15:8		VCFG<2:0>		OFFCAL	—	CSCNA	—	—	
	7:0	BUFS	_	- SMPI<3:0>				BUFM	ALTS	
AD1CON3 ^(1,2,3)	31:24	—	—	—	—	—	_	—	—	
	23:16	—	—	—	—	—	—	—	—	
	15:8	ADRC	—	—			SAMC<4:0>	•		
	7:0				ADCS	<7:0>				
AD1CHS ^(1,2,3)	31:24	CH0NB	—	—	—		CHOSE	3<3:0>		
	23:16	CH0NA	—	—	—		CHOSA	<3:0>		
	15:8	—	_	—	—	—	_	—	—	
	7:0	—	—	—	—	—	—	—	—	
AD1PCFG ^(1,2,3)	31:24	—	—	—	—	—	—	—	_	
	23:16	_	_	_	_	_	_	_	_	
	15:8	PCFG15	PCFG14	PCFG13	PCFG12	PCFG11	PCFG10	PCFG9	PCFG8	
	7:0	PCFG7	PCFG6	PCFG5	PCFG4	PCFG3	PCFG2	PCFG1	PCFG0	

Table 17-1: ADC SFR Summary

Legend: — = unimplemented, read as '0'.

Note 1: This register has an associated Clear register at an offset of 0x4 bytes. These registers have the same name with CLR appended to the end of the register name (e.g.,AD1CON1CLR). Writing a '1' to any bit position in the Clear register will clear valid bits in the associated register. Reads from the Clear register should be ignored.

2: This register has an associated Set register at an offset of 0x8 bytes. These registers have the same name with SET appended to the end of the register name (e.g.,AD1CON1SET). Writing a '1' to any bit position in the Set register will set valid bits in the associated register. Reads from the Set register should be ignored.

3: This register has an associated Invert register at an offset of 0xC bytes. These registers have the same name with INV appended to the end of the register name (e.g., AD1CON1INV). Writing a '1' to any bit position in the Invert register will invert valid bits in the associated register. Reads from the Invert register should be ignored.

Name		Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
AD1CSSL ^(1,2,3)	31:24	_	—	—	—	—	_	—	_
	23:16	_	—	—	—	—	_	—	_
	15:8	CSSL15	CSSL14	CSSL13	CSSL12	CSSL11	CSSL10	CSSL9	CSSL8
	7:0	CSSL7	CSSL6	CSSL5	CSSL4	CSSL3	CSSL2	CSSL1	CSSL0
ADC1BUF0	31:0			ADC R	esult Word 0 (ADC1BUF0<	31:0>)		
ADC1BUF1	31:0			ADC R	esult Word 1 ((ADC1BUF1<	31:0>)		
ADC1BUF2	31:0			ADC R	esult Word 2 (ADC1BUF2<	31:0>)		
ADC1BUF3	31:0			ADC R	esult Word 3 (ADC1BUF3<	31:0>)		
ADC1BUF4	31:0			ADC R	esult Word 4 (ADC1BUF4<	31:0>)		
ADC1BUF5	31:0			ADC R	esult Word 5 (ADC1BUF5<	31:0>)		
ADC1BUF6	31:0			ADC R	esult Word 6 (ADC1BUF6<	31:0>)		
ADC1BUF7	31:0			ADC R	esult Word 7 (ADC1BUF7<	31:0>)		
ADC1BUF8	31:0			ADC R	esult Word 8 (ADC1BUF8<	31:0>)		
ADC1BUF9	31:0			ADC R	esult Word 9 (ADC1BUF9<	31:0>)		
ADC1BUFA	31:0			ADC Re	esult Word A ((ADC1BUFA<	31:0>)		
ADC1BUFB	31:0		ADC Result Word B (ADC1BUFB<31:0>)						
ADC1BUFC	31:0		ADC Result Word C (ADC1BUFC<31:0>)						
ADC1BUFD	31:0		ADC Result Word D (ADC1BUFD<31:0>)						
ADC1BUFE	31:0			ADC Re	esult Word E (ADC1BUFE<	31:0>)		
ADC1BUFF	31:0			ADC R	esult Word F (ADC1BUFF<	31:0>)		

Table 17-1: ADC SFR Summary (Continued)

Legend: — = unimplemented, read as '0'.

Note 1: This register has an associated Clear register at an offset of 0x4 bytes. These registers have the same name with CLR appended to the end of the register name (e.g.,AD1CON1CLR). Writing a '1' to any bit position in the Clear register will clear valid bits in the associated register. Reads from the Clear register should be ignored.

2: This register has an associated Set register at an offset of 0x8 bytes. These registers have the same name with SET appended to the end of the register name (e.g.,AD1CON1SET). Writing a '1' to any bit position in the Set register will set valid bits in the associated register. Reads from the Set register should be ignored.

3: This register has an associated Invert register at an offset of 0xC bytes. These registers have the same name with INV appended to the end of the register name (e.g., AD1CON1INV). Writing a '1' to any bit position in the Invert register will invert valid bits in the associated register. Reads from the Invert register should be ignored.

Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
21.24	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
31.24	—	—	—	—	—	-	_	-
22:16	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
23.10	—	—	—	—	—	-	_	-
15.0	R/W-0	U-0	R/W-0	U-0	U-0	R/W-0	R/W-0	R/W-0
10.0	0N ⁽¹⁾	—	SIDL	—	—		FORM<2:0>	1
7:0	R/W-0	R/W-0	R/W-0	R/W-0	U-0	R/W-0	R/W-0	R/C-0
7:0	S	SRC<2:0>		CLRASAM	—	ASAM	SAMP	DONE ⁽²⁾

Register 17-1: AD1CON1: ADC Control Register 1

Legend:

R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit
U = Unimplemented bit	-n = Bit Value at POR: ('	0', '1', x = Unknown)	C = Clearable bit

bit 31-16 Unimplemented: Read as '0'

1.11.4.5		•		1.1.(1)
DICIS	UN: ADC	Operating	wode	DIL

- 1 = ADC module is operating
 - 0 = ADC is off

bit 14 Unimplemented: Read as '0'

- bit 13 **SIDL:** Stop in Idle Mode bit
 - 1 = Discontinue module operation when device enters Idle mode
 - 0 = Continue module operation in Idle mode

bit 12-11 Unimplemented: Read as '0'

bit 10-8 **FORM<2:0>:** Data Output Format bits

- 011 = Signed Fractional 16-bit (DOUT = 0000 0000 0000 0000 sddd dddd dd00 0000)
- 010 = Fractional 16-bit (DOUT = 0000 0000 0000 0000 dddd dddd dd00 0000)
- 000 = Integer 16-bit (DOUT = 0000 0000 0000 0000 0000 00dd dddd dddd)
- 111 = Signed Fractional 32-bit (DOUT = sddd dddd dd00 0000 0000 0000 0000)
- 110 = Fractional 32-bit (DOUT = dddd dddd dd00 0000 0000 0000 0000)
- 101 = Signed Integer 32-bit (DOUT = ssss ssss ssss ssss ssss ssss dddd dddd)
- 100 = Integer 32-bit (DOUT = 0000 0000 0000 0000 0000 00dd dddd dddd)

bit 7-5 SSRC<2:0>: Conversion Trigger Source Select bits

- 111 = Internal counter ends sampling and starts conversion (auto convert)
- 110 = Reserved
- 101 = Reserved
- 100 = Reserved
- 011 = Reserved
- 010 = Timer3 period match ends sampling and starts conversion
- 001 = Active transition on INT0 pin ends sampling and starts conversion
- 000 = Clearing SAMP bit ends sampling and starts conversion

bit 4 **CLRASAM:** Stop Conversion Sequence bit (when the first ADC interrupt is generated)

- 1 = Stop conversions when the first ADC interrupt is generated. Hardware clears the ASAM bit when the ADC interrupt is generated.
- $\ensuremath{\scriptscriptstyle 0}$ = Normal operation, buffer contents will be overwritten by the next conversion sequence
- **Note 1:** When using the 1:1 Peripheral Bus Clock (PBCLK) divisor, the user software should not read or write the peripheral's SFRs in the SYSCLK cycle immediately following the instruction that clears the module's ON bit.
 - **2:** The DONE bit is not persistent in automatic modes. It is cleared by hardware at the beginning of the next sample.

Register 17-1: AD1CON1: ADC Control Register 1 (Continued)

- bit 3 Unimplemented: Read as '0'
- bit 2 ASAM: ADC Sample Auto-Start bit 1 = Sampling begins immediately after last conversion completes; SAMP bit is automatically set 0 = Sampling begins when SAMP bit is set
- bit 1 SAMP: ADC Sample Enable bit
 - 1 = The ADC SHA is sampling
 - 0 = The ADC sample/hold amplifier is holding
 - When ASAM = 0, writing '1' to this bit starts sampling.
 - When SSRC = 000, writing '0' to this bit will end sampling and start conversion.
- bit 0 **DONE:** Analog-to-Digital Conversion Status bit⁽²⁾
 - 1 = Analog-to-digital conversion is done
 - 0 = Analog-to-digital conversion is not done or has not started
 - Clearing this bit will not affect any operation in progress.
- **Note 1:** When using the 1:1 Peripheral Bus Clock (PBCLK) divisor, the user software should not read or write the peripheral's SFRs in the SYSCLK cycle immediately following the instruction that clears the module's ON bit.
 - **2:** The DONE bit is not persistent in automatic modes. It is cleared by hardware at the beginning of the next sample.

Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
21.24	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
51.24	—	—	—	—		—	_	
22.16	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
23.10	—	—	—	—		—	_	
15.0	R/W-0	R/W-0	R/W-0	R/W-0	U-0	R/W-0	U-0	U-0
15.0		VCFG<2:0>		OFFCAL	—	CSCNA	_	
7:0	R/W-0	U-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
7.0	BUFS	_		SMP	l<3:0>		BUFM	ALTS

Register 17-2: AD1CON2: ADC Control Register 2

Legend:

R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit
U = Unimplemented bit	-n = Bit Value at POR: (('0', '1', x = Unknown)	

bit 31-16 Unimplemented: Read as '0'

bit 15-13	VCFG<2:0>: Voltage Reference Config	uration bits

		ADC VR+	ADC VR-	
	000	AVdd	AVss	
	001	External VREF+ pin	AVss	
	010	AVdd	External VREF- pin	
	011	External VREF+ pin	External VREF- pin	
	1xx	AVdd	AVss	
bit 12	OFFCAL: In 1 = Enable C VINH and 0 = Disable (The input	put Offset Calibration Mod Offset Calibration mode I VINL of the SHA are conr Offset Calibration mode ts to the SHA are controlle	e Select bit nected to Vr - ed by AD1CHS or AD1CSS	I
bit 11	Unimpleme	nted: Read as '0'	,	
bit 10	CSCNA: Sca 1 = Scan inp 0 = Do not so	an Input Selections for CH uts can inputs	0+ SHA Input for MUX A In	put Multiplexer Setting bit
bit 9-8	Unimpleme	nted: Read as '0'		
bit 7	BUFS: Buffe Only valid wh 1 = ADC is c 0 = ADC is c	r Fill Status bit nen BUFM = 1 (ADRES sp urrently filling buffer 0x8-0 urrently filling buffer 0x0-0	blit into 2 x 8-word buffers). xF, user should access data x7, user should access data	a in 0x0-0x7 a in 0x8-0xF
bit 6	Unimpleme	nted: Read as '0'		
bit 5-2	SMPI<3:0>: 1111 = Inter 1110 = Inter • •	Sample/Convert Sequenc rupts at the completion of rupts at the completion of	es Per Interrupt Selection b conversion for each 16 th sa conversion for each 15 th sa	its imple/convert sequence imple/convert sequence
	0001 = Inter 0000 = Inter	rupts at the completion of rupts at the completion of	conversion for each 2 nd sar conversion for each sample	nple/convert sequence e/convert sequence
bit 1	BUFM: ADC 1 = Buffer co 0 = Buffer co	Result Buffer Mode Select onfigured as two 8-word bu onfigured as one 16-word b	t bit Iffers, ADC1BUF(70), AD puffer ADC1BUF(150.)	C1BUF(158)
bit 0	ALTS: Altern 1 = Uses MU MUX A i 0 = Always u	ate Input Sample Mode S JX A input multiplexer setti nput multiplexer settings f ise MUX A input multiplexe	elect bit ings for first sample, then al or all subsequent samples er settings	Iternates between MUX B and

Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
21.24	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
31:24		—	—	—	—	—	—	_
00.40	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
23.10	—	—	—	—	—	—	—	_
15.0	R/W-0	U-0	U-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
10.0	ADRC	—	—		S	SAMC<4:0>		
7.0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
7.0				ADCS<7:0)>(1)			

Register 17-3: AD1CON3: ADC Control Register 3

Legend:

R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit
U = Unimplemented bit	-n = Bit Value at POR	: ('0', '1', x = Unknown)	

bit 31-16	Unimplemented: Read as '0'
bit 15	ADRC: ADC Conversion Clock Source bit
	1 = ADC internal RC clock
	0 = Clock derived from Peripheral Bus Clock (PBCLK)
bit 14-13	Unimplemented: Read as '0'
bit 12-8	SAMC<4:0>: Auto-sample Time bits
	11111 = 31 T AD
	•
	•
	•
	00001 = 1 TAD
	00000 = 0 TAD (Not allowed)
bit 7-0	ADCS<7:0>: ADC Conversion Clock Select bits ⁽¹⁾
	11111111 = TPB • 2 • (ADCS<7:0> + 1) = 512 • TPB = TAD
	•
	•
	•
	00000001 = TPB • 2 • (ADCS<7:0> + 1) = 4 • TPB = TAD 00000000 = TPB • 2 • (ADCS<7:0> + 1) = 2 • TPB = TAD

Note 1: TPB is the PIC32 Peripheral Bus clock time period. Refer to **Section 6. "Oscillator"** (DS61112) for more information.

Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
21.24	R/W-0	U-0	U-0	U-0	R/W-0	R/W-0	R/W-0	R/W-0
31.24	CH0NB	—	—	-	CH0SB<3:0>			
02:16	R/W-0	U-0	U-0	U-0	R/W-0	R/W-0	R/W-0	R/W-0
23.10	CH0NA	—	—	_	CH0SA<3:0>			
15.0	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
15:8	—	—	—	-	—	—	—	—
7.0	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
7.0	_	_	_	_	_	_	_	_

Register 17-4: AD1CHS: ADC Input Select Register

Legend:

R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit
U = Unimplemented bit	-n = Bit Value at POR: ('	0', '1', x = Unknown)	

bit 31 CHONB: Negative Input Select bit for MUX B 1 = Channel 0 negative input is AN1 0 = Channel 0 negative input is VRbit 30-28 Unimplemented: Read as '0' bit 27-24 CHOSB<3:0>: Positive Input Select bits for MUX B 1111 = Channel 0 positive input is AN15 1110 = Channel 0 positive input is AN14 1101 = Channel 0 positive input is AN13 .

- 0001 = Channel 0 positive input is AN1 0000 = Channel 0 positive input is AN0
 - bit 23 CHONA: Negative Input Select bit for MUX A Multiplexer Setting
 - 1 = Channel 0 negative input is AN1
 - 0 = Channel 0 negative input is VR-
 - bit 22-20 Unimplemented: Read as '0'

bit 15-0 Unimplemented: Read as '0'

Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
31.24	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
51.24		—	—	_	—	_	—	_
22:16	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
23.10	—	—	—	—	—	—	—	_
15.0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
15:8	PCFG15	PCFG14	PCFG13	PCFG12	PCFG11	PCFG10	PCFG9	PCFG8
7:0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
7.0	PCFG7	PCFG6	PCFG5	PCFG4	PCFG3	PCFG2	PCFG1	PCFG0

Register 17-5:	AD1PCFG: ADC Port Configuration Register ^(1,2))
----------------	---	---

Legend:

Logona.				
R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit	
U = Unimplemented bit	-n = Bit Value at POR:	('0', '1', x = Unknown)		

bit 31-16 Unimplemented: Read as '0'

- bit 15-0 **PCFG<15:0>:** Analog Input Pin Configuration Control bits
 - 1 = Analog input pin in Digital mode, port read input enabled, ADC input multiplexer input for this analog input connected to AVss
 - a Analog input pin in Analog mode, digital port read will return as a '1' without regard to the voltage on the pin, ADC samples pin voltage
- **Note 1:** The AD1PCFG register functionality will vary depending on the number of ADC inputs available on the selected device. Refer to the specific device data sheet for additional details on this register.
 - 2: The AD1PCFG register is not available on all PIC32 devices. Refer to the specific device data sheet for availability of this register.

				•				
Bit Range	Bit 31/23/15/7	Bit 30/22/14/6	Bit 29/21/13/5	Bit 28/20/12/4	Bit 27/19/11/3	Bit 26/18/10/2	Bit 25/17/9/1	Bit 24/16/8/0
21.24	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
31.24	—	—	—	—	—	—	_	_
22:16	U-0	U-0	U-0	U-0	U-0	U-0	U-0	U-0
23.10	—	—	—	—	—	—	_	_
15.0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
15.0	CSSL15	CSSL14	CSSL13	CSSL12	CSSL11	CSSL10	CSSL9	CSSL8
7:0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0	R/W-0
7.0	CSSL7	CSSL6	CSSL5	CSSL4	CSSL3	CSSL2	CSSL1	CSSL0

Register 17-6: AD1CSSL: ADC Input Scan Select Register⁽¹⁾

Legend:

R = Readable bit	W = Writable bit	P = Programmable bit	r = Reserved bit
U = Unimplemented bit	-n = Bit Value at POR: ('0', '1', x = Unknown)	

bit 31-16 Unimplemented: Read as '0'

bit 15-0 CSSL<15:0>: ADC Input Pin Scan Selection bits

- 1 = Select ANx for input scan
- 0 = Skip ANx for input scan
- **Note 1:** The AD1CSSL register functionality will vary depending on the number of ADC inputs available on the selected device. Refer to the specific device data sheet for additional details on this register.

17.3 ADC OPERATION, TERMINOLOGY AND CONVERSION SEQUENCE

This section describes the operation of the ADC, the steps required to configure the converter, special features of the module, and provides examples of ADC configuration with timing diagrams and charts showing the expected output of the converter.

17.3.1 Overview of Operation

Analog sampling consists of two steps: acquisition and conversion (see Figure 17-2). During acquisition, the analog input pin is connected to the Sample and Hold Amplifier (SHA). After the pin has been sampled for a sufficient period, and the sample voltage is equivalent to the input, the pin is disconnected from the SHA to provide a stable input voltage for the conversion process. The conversion process then converts the analog sample voltage to a binary representation.

An overview of the ADC is presented in Figure 17-1. The 10-bit ADC has a single SHA. The SHA is connected to the analog input pins through the analog input multiplexers, MUX A and MUX B. The analog input multiplexers are controlled by the AD1CHS register. There are two sets of MUX control bits in the AD1CHS register. These two sets of control bits allow the two different analog input to be independently controlled. The ADC can optionally switch between MUX A and MUX B configurations between conversions. The ADC can also optionally scan through a series of analog inputs using a single MUX.

Acquisition time can be controlled manually or automatically. The acquisition time may be started manually by setting the SAMP bit (AD1CON1<1>), and ended manually by clearing the SAMP bit in user software. The acquisition time may be started automatically by the ADC hardware and ended automatically by a conversion trigger source. The acquisition time is set by the SAMC bits (AD1CON3<12:8>). The SHA has a minimum acquisition period; refer to the specific device data sheet for acquisition time specifications.

Conversion time is the time required for the ADC to convert the voltage held by the SHA. The ADC requires one ADC clock cycle (TAD) to convert each bit of the result, plus two additional clock cycles. Therefore, a total of 12 TAD cycles are required to perform the complete conversion. When the conversion time is complete, the result is written into one of the 16 ADC result registers (ADC1BUF0 through ADC1BUFF).

The sum of the acquisition time and the analog-to-digital conversion time provides the total sample time (refer to Figure 17-2). There are multiple input clock options for the ADC that are used to create the TAD clock. The user must select an input clock option that does not violate the minimum TAD specification.

The sampling process can be performed once, periodically, or based on a trigger as defined by the module configuration.



Figure 17-2: ADC Sample/Conversion Sequence

The start time for sampling can be controlled in software by setting the SAMP bit (AD1CON1<1>). The start of the sampling time can also be controlled automatically by the hardware. When the ADC operates in Auto-Sample mode, the SHA is reconnected to the analog input pin at the end of the conversion in the sample/convert sequence. The auto-sample function is controlled by the ASAM bit (AD1CON1<2>).

The conversion trigger source ends the sampling time and begins an analog-to-digital conversion or a sample/convert sequence. The conversion trigger source is selected by the SSRC<2:0> bits (AD1CON1<7:5>). The conversion trigger can be taken from a variety of hardware sources, or can be controlled manually in software by clearing the SAMP bit. One of the conversion trigger sources is an auto-conversion. The time between auto-conversions is set by a counter and the ADC clock. The Auto-Sample mode and auto-conversion trigger can be used together to provide endless automatic conversions without software intervention.

An interrupt may be generated at the end of each sample sequence or multiple sample sequences as determined by the value of the SMPI<3:0> bits (AD1CON2<5:2>). The number of sample sequences between interrupts can vary between 1 and 16. The user should note that the analog-to-digital conversion buffer holds the results of a single conversion sequence. The next sequence starts filling the buffer from the top even if the number of samples in the previous sequence was less than 16. The total number of conversion results between interrupts is the SMPI value. The total number of conversions between interrupts cannot exceed the physical buffer length.

17.4 ADC MODULE CONFIGURATION

Operation of the ADC module is directed through bit settings in the appropriate registers. The following instructions summarize the actions and the settings. Options and details for each configuration step are provided in subsequent sections.

To configure the ADC module, perform the following steps:

- 1. Configure the analog port pins in AD1PCFG<15:0> (see 17.4.1).
- 2. Select the analog inputs to the ADC multiplexers in AD1CHS<32:0> (see 17.4.2).
- 3. Select the format of the ADC result using FORM<2:0> (AD1CON1<10:8>) (see 17.4.3).
- 4. Select the sample clock source using SSRC<2:0> (AD1CON1<7:5>) (see 17.4.4).
- 5. Select the voltage reference source using VCFG<2:0> (AD1CON2<15:13>) (see 17.4.7).
- 6. Select the Scan mode using CSCNA (AD1CON2<10>) (see 17.4.8).
- Set the number of conversions per interrupt SMP<3:0> (AD1CON2<5:2>), if interrupts are to be used (see 17.4.9).
- 8. Set Buffer Fill mode using BUFM (AD1CON2<1>) (see 17.4.10).
- 9. Select the MUX to be connected to the ADC in ALTS AD1CON2<0> (see 17.4.11).
- 10. Select the ADC clock source using ADRC (AD1CON3<15>) (see 17.4.12).
- 11. Select the sample time using SAMC<4:0> (AD1CON3<12:8>), if auto-convert is to be used (see 17-2).
- 12. Select the ADC clock prescaler using ADCS<7:0> (AD1CON3<7:0>) (see 17.4.12).
- 13. Turn the ADC module on using AD1CON1<15> (see 17.4.14).

Note: Steps 1 through 12, above, can be performed in any order, but Step 13 must be the final step in every case.

- 14. To configure ADC interrupt (if required):
 - a) Clear the AD1IF bit (IFS1<1>) (see 17.7).
 - b) Select ADC interrupt priority AD1IP<2:0> (IPC<28:26>) and subpriority AD1IS<1:0> (IPC<24:24>) if interrupts are to be used (see 17.7).
- 15. Start the conversion sequence by initiating sampling (see 17.4.15).

17.4.1 Configuring Analog Port Pins

The AD1PCFG register and the TRISB register control the operation of the ADC port pins. AD1PCFG specifies the configuration of device pins to be used as analog inputs. A pin is configured as an analog input when the corresponding PCFGn bit (AD1PCFG<n>) = 0. When the bit = 1, the pin is set to digital control. When configured for analog input, the associated port I/O digital input buffer is disabled so it does not consume current. The AD1PCFG register is cleared at Reset, causing the ADC input pins to be configured for analog input by default at Reset.

TRIS registers control the digital function of the port pins. The port pins that are desired as analog inputs must have their corresponding TRIS bit set, specifying the pin as an input. If the I/O pin associated with an ADC input is configured as output, the TRIS bit is cleared, the ports digital output level (VOH or VOL) will be converted. After a device Reset, all of the TRIS bits are set.

- **Note 1:** When reading a PORT register that shares pins with the ADC, any pin configured as an analog input reads as a '0' when the PORT latch is read. Analog levels on any pin that is defined as a digital input (including the AN15:AN0 pins), but is not configured as an analog input, may cause the input buffer to consume current that is out of the device's specification.
 - **2:** The AD1PCFG register is not available in all the PIC32 devices. Refer to the specific device data sheet for availability.

17.4.2 Selecting the Analog Inputs to the ADC Multiplexers

The AD1CHS register is used to select which analog input pin is connected to MUX A and MUX B. Each multiplexer has two inputs referred to as the positive and the negative input. The positive input to MUX A is controlled by the CH0SA<3:0> bits (AD1CHS<19:16>) and the negative input is controlled by the CH0NA bit (AD1CHS<23>). The positive input for MUX B is controlled by the CH0SB<3:0> bits (AD1CHS<23>) and the negative input is controlled by the CH0NB bit (AD1CHS<23>) and the negative input is controlled by the CH0NB

The positive input can be selected from any one of the available analog input pins. The negative input can be selected as the ADC negative reference or AN1. The use of AN1 as the negative input allows the ADC to be used in Unipolar Differential mode. Refer to the specific device data sheet for AN1 input voltage restrictions when used as a negative reference.

Note: When using Scan mode, the CH0SA<3:0> bits may be overridden. Refer to 17.4.8 "Selecting the Scan Mode" for more information.

17.4.3 Selecting the Format of the ADC Result

The data in the ADC result register can be read as one of eight formats. The format is controlled by the FORM<2:0> bits (AD1CON1<10:8>). The user can select from integer, signed integer, fractional, or signed fractional as a 16-bit or 32-bit result. Figure 17-3 and Figure 17-4 illustrate how a result is formatted. Table 17-2 and Table 17-3 provide examples of results for the select results in each of the four formats with 32-bit and 16-bit results.

Note: There is no numeric difference between 32-bit and 16-bit modes. In 32-bit mode, the sign extension is applied to all 32-bits. In 16-bit mode, the sign extension is applied only to the lower 16-bits of the result.

© 2007-2011 Microchip Technology Inc.

Figure 17-3: ADC Output Data Formats, 32-bit Mode **RAM Contents:** d09 d06 d05 d04 d03 d02 d01 d00 d08 d07 Read to Bus: Integer d04 d03 d02 d09 d08 d07 d06 d05 d01 d00 **Signed Integer** d09 d09 d09 <u>d09</u> <u>d08</u> <u>d07</u> d09 d09 d09 d09 <u>d09</u> <u>d09</u> <u>d09</u> <u>d09</u> <u>d09</u> <u>d09</u> d09 d06 d05 d04 d03 d02 d01 d00 Fractional (1.15) d06 d05 d04 d03 d02 d01 d00 d09 d08 d07 Signed Fractional (1.15) d09 d08 d07 d06 d05 d04 d03 d02 d01 d00

Section
17.
10-bit
Analog
J-to-Di
gital
Converter
(ADC)



VIN/VR	10-bit Output Code	32-bit Integer Format	32-bit Signed Integer Format	32-bit Fractional Format	32-bit Signed Fractional Format
1023/1024	11 1111 1111	0000 0000 0000 0000 0000 0011 1111 1111	0000 0000 0000 0000 0000 0001 1111 1111	1111 1111 1100 0000 0000 0000 0000 0000	0111 1111 1100 0000 0000 0000 0000 0000
1022/1024	11 1111 1110	0000 0000 0000 0000 0000 0011 1111 1110 = 1022	0000 0000 0000 0000 0000 0001 1111 1110 = 510	1111 1111 1000 0000 0000 0000 0000 0000	0111 1111 1000 0000 0000 0000 0000 0000
			•••		
513/1024	10 0000 0001	0000 0000 0000 0000 0000 0010 0000 0001 = 513	0000 0000 0000 0000 0000 0000 0000 000	1000 0000 0100 0000 0000 0000 0000 0000	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
512/1024	10 0000 0000	0000 0000 0000 0000 0000 0010 0000 0000	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
511/1024	01 1111 1111	0000 0000 0000 0000 0000 0001 1111 1111	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	0111 1111 1100 0000 0000 0000 0000 0000	1111 1111 1100 0000 0000 0000 0000 0000
			•••		
1/1024	00 0000 0001	0000 0000 0000 0000 0000 0000 0000 000	1111 1111 1111 1111 1111 1110 0000 0001 = -511	0000 0000 0100 0000 0000 0000 0000 0000	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
0/1024	00 0000 0000	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	1111 1111 1111 1111 1111 1110 0000 0000	0000 0000 0000 0000 0000 0000 0000 000	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$

Table 17-2:	Numerical Equivalents of Select Result Codes for	r FORM<2> (AD1CON1<10>) = 1, 32-bit Result
-------------	--	--

 Table 17-3:
 Numerical Equivalents of Select Result Codes for FORM<2> (AD1CON1<10>) = 0, 16-bit Result

VIN/VR	10-bit Output Code 16-bit Integer Format		16-bit Signed Integer Format	16-bit Fractional Format	16-bit Signed Fractional Format		
1023/1024	11 1111 1111	0000 0011 1111 1111 = 1023	0000 0001 1111 1111 = 511	1111 1111 1100 0000 = 0.999	0111 1111 1100 0000 = 0.499		
1022/1024	11 1111 1110	0000 0011 1111 1110 = 1022	0000 0001 1111 1110 = 510	1111 1111 1000 0000 = 0.998	0111 1111 1000 0000 = 0.498		
			•••				
513/1024	10 0000 0001	0000 0010 0000 0001 = 513	0000 0000 0000 0001 = 1	1000 0000 0100 0000 = 0.501	0 000 0000 0100 0000 = 0.001		
512/1024	10 0000 0000	0000 0010 0000 0000 = 512	0000 0000 0000 0000 = 0	1000 0000 0000 0000 = 0.500	0000 0000 0000 0000 = 0.000		
511/1024	01 1111 1111	0000 0001 1111 1111 = 511	1111 1111 1111 1111 = -1	0111 1111 1100 0000 = .499	1111 1111 1100 0000 = -0.001		
	•••						
1/1024	00 0000 0001	0000 0000 0000 0001 = 1	1111 1110 0000 0001 = -511	0000 0000 0100 0000 = 0.001	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$		
0/1024	00 0000 0000	0000 0000 0000 0000 = 0	1111 1110 0000 0000 = -512	0000 0000 0000 0000 = 0.000	1000 0000 0000 0000 = -0.500		

17.4.4 Selecting the Sample Clock Source

It is often desirable to synchronize the end of sampling and the start of conversion with some other time event. The ADC module may use one of four sources as a conversion trigger. The selection of the conversion trigger source is controlled by the SSRC<2:0> bits (AD1CON1<7:5>).

17.4.4.1 MANUAL CONVERSION

To configure the ADC to end sampling and start a conversion when the SAMP bit (AD1CON1<1>) is cleared (= 0), set the SSRC<2:0> bits to '000'.

17.4.4.2 TIMER COMPARE TRIGGER

The ADC is configured for this trigger mode by setting the SSRC<2:0> = 010. When a period match occurs for the 32-bit timer, TMR3/TMR2, or the 16-bit Timer3, a special ADC trigger event signal is generated by Timer3. This feature does not exist for the TMR5/TMR4 timer pair or for 16-bit timers other than Timer3. Refer to **Section 14. "Timers"** (DS61105) for more details.

17.4.4.2.1 External INTO Pin Trigger

To configure the ADC to begin a conversion on an active transition on the INT0 pin, the SSRC<2:0> bits are set to '001'. The INT0 pin may be programmed for either a rising edge input or a falling edge input to trigger the conversion process.

17.4.4.2.2 Auto-Convert

The ADC can be configured to automatically perform conversions at the rate selected by the SAMC<4:0> bits (AD1CON3<12:8>). The ADC is configured for this Trigger mode by setting the SSRC<2:0> bits to '111'. In this mode, the ADC will perform continuous conversions on the selected channels.

17.4.5 Synchronizing ADC Operations to Internal or External Events

The modes where an external event trigger pulse ends sampling and starts conversion (SSRC<2:0> bits = 001, 010 or 011) may be used in combination with auto-sampling (ASAM bit (AD1CON1<2>) = 1) to cause the ADC to synchronize the sample conversion events to the trigger pulse source. For example, in Figure 17-13 where SSRC<2:0> = 010 and ASAM = 1, ADC will always end sampling and start conversions synchronously with the timer compare trigger event. The ADC will have a sample conversion rate that corresponds to the timer comparison event rate. See Example 17-5 for a code example.

17.4.6 Selecting Automatic or Manual Sampling

Sampling can be started manually or automatically when the previous conversion is complete.

17.4.6.1 MANUAL SAMPLING

Clearing the ASAM bit (AD1CON1<2>) disables the Auto-Sample mode. Acquisition will begin when the SAMP bit (AD1CON1<1>) is set by software. Acquisition will not resume until the SAMP bit is once again set. Figure 17-8 illustrates an example.

17.4.6.2 AUTOMATIC SAMPLING

Setting the ASAM bit (AD1CON1<2>) enables Auto-Sample mode. In this mode, the sampling will start automatically after the pervious sample has been converted. Figure 17-9 illustrates an example.

17.4.7 Selecting the Voltage Reference Source

The user can select the voltage reference for the ADC module. The reference can be internal or external.

The VCFG<2:0> bits (AD1CON2<15:13>) select the voltage reference for analog-to-digital conversions. The upper voltage reference (VR+) and the lower voltage reference (VR-) may be the internal AVDD and AVss voltage rails, or the VREF+ and VREF- input pins. The external ADC voltage reference may be used to reduce noise in the converter.

The external voltage reference pins may be shared with the AN0 and AN1 inputs on low pin count devices. The ADC can still perform conversions on these pins when they are shared with the VREF+ and VREF- input pins.

The voltages applied to the external reference pins must meet certain specifications. Refer to the **"Electrical Characteristics"** section in the specific device data sheet for more information.

Note: External references, VREF+ and VREF-, must be selected for high conversion. Refer to the specific device data sheet for more information. The external VREF+ and VREF- pins may be shared with other analog peripherals. Refer to the specific device data sheet for more information.

17.4.8 Selecting the Scan Mode

The ADC module has the ability to scan through a selected vector of inputs. The CSCNA bit (AD1CON2<10>) enables the MUX A input to be scanned across a selected number of analog inputs.

17.4.8.1 SCAN MODE ENABLE

Scan mode is enabled by setting the CSCNA bit (AD1CON2<10>). When Scan mode is enabled, the positive input of MUX A is controlled by the contents of the AD1CSSL register. Each bit in the AD1CSSL register corresponds to an analog input. Bit 0 corresponds to AN0, bit 1 corresponds to AN1, and so on. If a particular bit in the AD1CSSL register is '1', the corresponding input is part of the scan sequence. The input is always scanned from lower-numbered input to higher-numbered input, starting at the first selected channel after each interrupt occurs. When Scan mode is enabled, the CH0SA<3:0> bits (AD1CHS<19:16>) are ignored.

Note: If the number of scanned input selected is greater than the number of samples taken per interrupt, the higher numbered inputs will not be sampled. The AD1CSSL register specifies only the input of the positive input of the channel. The CH0NA bit (AD1CHS<23>) selects the input of the negative input of the channel during scanning.

17.4.8.2 SCAN MODE DISABLE

When the CSCNA bit = 0, Scan mode is disabled and the positive input to MUX A is controlled by the CH0SA<3:0> bits.

17.4.8.3 USING SCAN AND ALTERNATE MODES TOGETHER

The Scan and Alternate modes may be combined to allow a vector of inputs to be scanned and a single input to be converted every other sample.

This mode is enabled by setting the CSCNA bit (AD1CON2<10>) = 1, and setting the ALTS bit (AD1CON2<0>) = 1. The CSCNA bit enables the scan for MUX A, and the CH0SB<3:0> bits (AD1CHS<27:24>) and the CH0NB bit (AD1CHS<31>) are used to configure the inputs to MUX B. Scanning only applies to the MUX A input selection. The MUX B input selection, as specified by the CH0SB<3:0> bits, will still select a single input.

The following sequence is an example of three scanned channels (MUX A) and a single fixed channel (MUX B):

- 1. The first input in the scan list is sampled.
- 2. The input selected by CH0SB<3:0> and CH0NB is sampled.
- 3. The second input in the scan list is sampled.
- 4. The input selected by CH0SB<3:0> and CH0NB is sampled.
- 5. The third input in the scan list is sampled.
- 6. The input selected by CH0SB<3:0> and CH0NB is sampled.

The process is repeated.

17.4.9 Setting the Number of Conversions per Interrupt

The SMPI<3:0> bits (AD1CON2<5:2>) select how many analog-to-digital conversions will take place before a CPU interrupt is generated. This also defines the number of locations that will be written in the result buffer starting with ADC1BUF0 (ADC1BUF0 or ADC1BUF8 for Dual Buffer mode). This can vary from one sample to 16 samples (one to eight samples for Dual Buffer mode). After the interrupt is generated, the sampling sequence restarts, with the result of the first sample being written to the first buffer location.

For example, if the SMPI<3:0> bits = 0000, the conversion results will always be written to ADC1BUF0. In this example, no other buffer locations would be used.

For example, if the SMPI<3:0> bits = 1110, 15 samples would be converted and stored in buffer locations, ADC1BUF0 through ADC1BUFE. An interrupt would be generated after ADC1BUFE is written. The next sample would be written to ADC1BUF0. In this example, ADC1BUFF would not be used.

The data in the result registers will be overwritten by the next sampling sequence. The data in the result buffer must be read before the completion of the first sample after the interrupt is generated. The Buffer Fill mode can be used to increase the time between interrupt generation and the overwriting of data. Refer to **17.4.10** "Buffer Fill Mode".

The user cannot program a combination of samples and SMPI bits that results in more than 16 conversions per interrupt when the BUFM bit (AD1CON2<1>) is '1', or more than eight conversions per interrupt when the BUFM bit (AD1CON2<1>) is '0'. Attempting to create a conversion list with the number of samples greater than 16 will result in the sampling sequence being truncated to 16 samples.

17.4.10 Buffer Fill Mode

The Buffer Fill mode allows the output buffer to be used as a single 16-word buffer or two 8-word buffers.

When the Dual Buffer Mode bit, BUFM (AD1CON2<1>), is '0', the complete 16-word buffer is used for all conversion sequences. Conversion results will be written sequentially in the buffer starting at ADC1BUF0 until the number of samples as defined by the SMPI<3:0> bits (AD1CON2<5:2>) is reached. The next conversion result will be written to ADC1BUF0 and the process repeats. If the ADC interrupt is enabled an interrupt will be generated when the number of samples in the buffer equals SMPI<3:0>.

When the BUFM bit is '1', the 16-word results buffer (ADRES) will be split into two 8-word groups. Conversion results will be written sequentially into the first buffer starting at ADC1BUF0, the BUFS bit (AD1CON2<7>) will be cleared, until the number of samples as defined by the SMPI<3:0> bits is reached. The ADC interrupt flag will then be set.

After the ADC interrupt flag is set, the following result will be written sequentially to the second buffer starting at ADC1BUF8. The next conversion result will be written to the second buffer starting at ADC1BUF8, the BUFS bit will be set, until the number of samples as defined by the SMPI<3:0> bits is reached. The ADC interrupt flag will then be set.

The process then restarts with BUFS = 0 and results being written to the first buffer.

The decision of which buffer fill mode to use will depend upon how much time is available to move the buffer contents after the analog-to-digital interrupt and the interrupt latency, as determined by the application. If the processor can unload a full buffer within the time it takes to sample and convert one channel, the BUFM bit can be '0' and up to 16 conversions may be done per interrupt. The processor will have one acquisition-and-conversion period before the first buffer location is overwritten.

If the processor cannot unload the buffer within the sample-and-conversion time, set the BUFM bit = 1, to prevent overwriting result data. For example, if the SMPI<3:0> bits = 0111, eight conversions will be written loaded into the first buffer, following which an interrupt will occur. The next eight conversions will be written to the second buffer. Therefore, the processor will have the entire time between interrupts to read the eight conversions out of the buffer.

17.4.11 Selecting the MUX to be Connected to the ADC (Alternating Sample Mode)

The ADC has two input multiplexers that connect to the SHA. These multiplexers are used to select which analog input is to be sampled. Each of the multiplexers have a positive and a negative input (see Figure 17-5 and Figure 17-6).

Note: The number of analog inputs will vary among different devices. Consult the specific device data sheet to verify the analog input availability.

17.4.11.1 SINGLE INPUT SELECTION

The user may select one of up to 16 analog inputs, as determined by the number of analog channels on the device, as the positive input of the SHA. The CH0SA<3:0> bits (AD1CHS<19:16>) select the positive analog input.

The user may select either VR- or AN1 as the negative input. The CH0NA bit (AD1CHS<23>) selects the analog input for the negative input of channel 0. Using AN1 as the negative input allows unipolar differential measurements. The ALTS bit (AD1CON2<0>) must be clear for this mode of operation.

17.4.11.2 ALTERNATING INPUT SELECTIONS

The ALTS bit (AD1CON2<0>) is used by the ADC module to alternate between the two input multiplexers.

The inputs specified by the CH0SA<3:0> bits (AD1CHS<19:16>) and the CH0NA bit (AD1CHS<23>) are called the MUX A inputs. The inputs specified by the CH0SB<3:0> bits (AD1CHS<27:24>) and the CH0NB bit (AD1CHS<31>) are called the MUX B inputs.

When the ALTS bit is '1', the ADC module will alternate between the MUX A inputs on one sample and the MUX B inputs on the subsequent sample. When the ALTS bit is '0', only the inputs specified by the CH0SA<3:0> and CH0NA bits are selected for sampling.

For example, if the ALTS bit is '1' on the first sample/convert sequence, the inputs specified by the CH0SA<3:0> and CH0NA bits are selected for sampling. On the next sample, the inputs specified by the CH0SB<3:0> and CH0NB bits are selected for sampling. The pattern then repeats.

17.4.12 Selecting the ADC Conversion Clock Source and Prescaler

The ADC module can use the internal RC oscillator or the Peripheral Bus Clock (PBCLK) as the conversion clock source.

When the internal RC oscillator is used as the clock source (ADRC bit (AD1CON3<15>) = 1), the TAD is the period of the oscillator, and no prescaler is used. When using the internal oscillator the ADC can continue to function in Sleep mode and in Idle mode.

Note: The internal RC oscillator is intended for ADC operation in Sleep mode, and therefore, it is not calibrated. Applications requiring precise timing of ADC acquisitions should use a stable calibrated clock source for the ADC.

When the PBCLK is used as the conversion clock source, the ADRC bit = 0, the TAD is the period of the PBCLK after the prescaler ADCS<7:0> bits (AD1CON3<7:0>) are applied.

The ADC has a maximum rate at which conversions may be completed. An Analog module clock, TAD, controls the conversion timing. The analog-to-digital conversion requires 12 clock periods (12 TAD).

The period of the ADC conversion clock is software selected using an 8-bit counter. There are 256 possible options for TAD, which are specified by the ADCS<7:0> bits (AD1CON3<7:0>).

Equation 17-1 gives the TAD value as a function of the ADCS bits and the device instruction cycle clock period, TCY.

Equation 17-1: ADC Conversion Clock Period

$$T_{AD} = 2 \bullet (T_{PB} \bullet (ADCS + 1))$$
$$ADCS = \left(\frac{T_{AD}}{2 \bullet T_{PB}}\right) - 1$$

For correct analog-to-digital conversions, the ADC conversion clock (TAD) must be selected to ensure a minimum TAD time of 83.33 ns (see **17.10** "Related Application Notes").

Equation 17-2: Available Sampling Time, Sequential Sampling

$$T_{SMP} = TriggerPulseInterval(T_{SEQ}) - ConversionTime(T_{CONV})$$
$$T_{SMP} = T_{SEQ} - T_{CONV}$$

Note: TSEQ is the trigger pulse interval time.

17

17.4.12.1 CONFIGURING THE ADC FOR 1000 KSPS OPERATION

Calculate the parameters for 1 Msps for a system clock of 60 MHz and Peripheral Clock Divider = 2. The calculation is performed as follows:

1. Calculate the Peripheral Bus clock time period (TPB) and the sample plus convert period.

Equation 17-3: TPB and Sample Plus Convert Period

$$T_{PB} = \frac{1}{60MHz} \times 2 = 33.3ns$$

$$\frac{1}{1000ksps} = 1\mu s + converttime$$

- 2. Calculate the ideal TAD. The ADC requires one or more TAD (sample time) and 12 TAD (convert time) to perform a sample/conversion.
 - a) Calculate the ADC sample plus convert time with a minimum sample time (1 TAD), as shown in Equation 17-4. The ADC minimum requirements for TAD is met, but not the sample time.



$$\frac{1\mu s}{12+1} = 76.9ns = T_{AD}$$
 Desired ADC clock period

- b) Increase the sample period to 2 TAD.
- c) Repeat the ADC clock calculation with a sample time equal to 2 TAD. This meets the ADC minimum requirements for TAD and sample time.

Equation 17-5: ADC Clock Calculation

$$\frac{1\mu s}{12+2} = 71.4ns = T_{AD}$$

$$T_{AD} \bullet 2$$
 sample periods = 71.4*ns* $\bullet 2$ = 142.8*ns* = sample time

 Calculate the ADC clock divisor value using the values from the previous steps. The closest available higher integer divisor value is 4 (ADCS = 1). The closest available lower integer divisor value is 2 (ADCS = 0).

Equation 17-6: ADC Clock Divisor

$$\frac{71.4ns}{\left(\frac{1}{30MHz}\right)} = 2.31$$
 Desired ADC clock divisor

4. Calculate the sample rate using the available ADCS divisors. Calculate using an ADC clock divisor value of 4.

Equation 17-7: Sample Rate Calculation

$$\frac{1}{4 \bullet (12+2) \bullet 33.3ns)} = 535.7ksps$$

The resulting actual sample rate is too low. Calculate using a ADC clock divisor value of 2.

$$\frac{1}{2 \bullet (12+2) \bullet 33.3ns)} = 1071ksps$$

The actual sample rate achieved is very close to the desired value, but it exceeds the 1 Msps specification.

5. Calculate the sample time by increase the sampling time to reduce the sample rate to an acceptable value. Recalculate using the divisor value of 2 and a sample time of 3 TAD.

Equation 17-8: Sample Time Calculation

$$\frac{1}{2 \bullet (12+3) \bullet 33.3 ns)} = 1000 ksps$$

6. Verify the calculations of the actual TAD using the PB period and the actual ADC clock divisor. The desired sample rate and values that meet the device specification are calculated.

Equation 17-9:

$$\frac{1}{30MHz} = 33.3ns = TPB$$

$$33.3ns \bullet 2 = 66.6ns = T_{AD}$$

$$T_{AD} \bullet 3 = 66.6ns \bullet 3 = 200ns = sampletime$$

Summary:

ADCS = 2: ADC clock is PB divided by 2

SAMPC = 3: Sample time is 3 TAD periods

17.4.13 Acquisition Time Considerations

Different acquisition/conversion sequences provide different times for the sample-and-hold channel to acquire the analog signal. The user must ensure the acquisition time meets the sampling requirements, as outlined in **17.5.20** "ADC Sampling Requirements".

When SSRC<2:0> (AD1CON1<7:5>) = 111, the conversion trigger is under ADC clock control. The SAMC<4:0> bits (AD1CON3<12:8>) select the number of TAD clock cycles between the start of acquisition and the start of conversion. This trigger option provides the fastest conversion rates on multiple channels. After the start of acquisition, the module will count a number of TAD clocks specified by the SAMC bits.

17.4.14 Turning ON the ADC

When the ON bit (AD1CON1<15>) is '1', the ADC module is in Active mode and is fully powered and functional.

When ON is '0', the ADC module is disabled. The digital and analog portions of the circuit are turned off for maximum current savings.

In order to return to the Active mode from the OFF mode, the user software must wait for the analog stages to stabilize. Refer to the **"Electrical Characteristics"** section in the specific device data sheet for the stabilization time.

Note: Writing to any ADC control bits other than the ON (AD1CON1<15>), SAMP (AD1CON1<1>), and DONE (AD1CON1<0>) bits is not recommended while the ADC module is running.

17.4.15 Initiating Sampling

17.4.15.1 MANUAL MODE

In manual sampling, an acquisition is started by writing a '1' to the SAMP bit (AD1CON1<1>). Software must manually manage the start and end of the acquisition period by setting and then clearing the SAMP bit after the desired acquisition period has elapsed.

17.4.15.2 AUTO-SAMPLE MODE

In Auto-sample mode, the sampling process is started by writing a '1' to the ASAM bit (AD1CON1<2>). In Auto-Sample mode, the acquisition period is defined by the ADCS<7:0> bits (AD1CON3<7:0>). Acquisition is automatically started after a conversion is completed. Auto-Sample mode can be used with any trigger source other than manual.

17.5 MISCELLANEOUS ADC FUNCTIONS

17.5.1 Aborting Sampling

Clearing the SAMP bit (AD1CON1<1>) while in Manual Sample mode will terminate sampling, but may also start a conversion, if the SSRC<2:0> bits (AD1CON1<7:5>) = 000.

Clearing the ASAM bit (AD1CON1<2>) while in Auto-sample mode will not terminate an ongoing acquire/convert sequence. However, sampling will not automatically resume after the current sample is converted.

17.5.2 Aborting a Conversion

Clearing the ON bit (AD1CON1<15>) during a conversion will abort the current conversion. The ADC Result register will not be updated with the partially completed analog-to-digital conversion sample. That is, the corresponding result buffer location will continue to contain the value of the last completed conversion (or the last value written to the buffer).

17.5.3 Buffer Fill Status

When the conversion result buffer is split using the BUFM bit (AD1CON2<1>), the BUFS bit (AD1CON2<7>) indicates which half of the buffer the ADC is currently filling. If the BUFS bit = 0, the ADC is filling ADC1BUF0 to ADC1BUF7 and the user software should read conversion values from ADC1BUF8 to ADC1BUFF. If the BUFS bit = 1, the situation is reversed and the user software should read conversion values from ADC1BUF7.

17.5.4 Offset Calibration

The ADC module provides a method of measuring the internal offset error. After this offset error is measured, it can be subtracted, in software, from the result of a analog-to-digital conversion. Use the following steps to perform an offset measurement:

- 1. Configure the ADC in the same manner as it will be used in the application.
- 2. Set the OFFCAL bit (AD1CON2<12>). This overrides the input selections and connects the sample-and-hold inputs to AVss.
- 3. If auto-sample is used, set the CLRASAM bit (AD1CON1<4>) to stop conversions when the number of samples stated by SMPI is reached.
- 4. Enable the ADC and perform a conversion. The value that is written to the ADC result buffer is the internal offset error.
- 5. Clear the OFFCAL bit (AD2CON<12>) to return the ADC to normal operation.

Note: Only positive ADC offsets can be measured with this method.

17.5.5 Terminate Conversion Sequence after an Interrupt

The CLRASAM bit provides a method to terminate auto-sample after the first sequence is completed. Setting the CLRASAM bit and starting an auto-sample sequence will cause the ADC to complete one auto-sample sequence (the number of samples as defined by the SMPI<3:0> bits (AD1CON2<5:2>)). Hardware will the clear the ASAM bit (AD1CON1<2>) and set the interrupt flag. This will stop the sampling process to allow inspection of the result buffer without results being overwritten by the next automatic conversion sequence. The CLRASAM bit must be cleared by software to disable this mode.

Note: Disabling Interrupts or masking the ADC interrupt has no effect on the operation of the CLRASAM bit.

17.5.6 DONE Bit Operation

The DONE bit (AD1CON1<0>) is set when a conversion sequence is complete. In Manual mode, the DONE bit is persistent. It remains set until it is cleared by software. The DONE bit can be polled to determine when the conversion has completed.

In all automatic sample modes (ASAM bit = 1), the DONE bit is not persistent. It is set at the end of a conversion sequence and cleared by hardware when the next acquisition is started. Polling the DONE bit is not recommended when operating the ADC in automatic modes. The AD1IF flag bit (IFS1<1>) is latched after a conversion sequence is completed and can therefore be polled. Figure 17-5 shows the ADC configuring for Alternate Sampling mode. Figure 17-6 shows the ADC configuration for Scan mode. Figure 17-7 shows the ADC configuration for a combination of Alternate Sampling mode and Scan mode.



Figure 17-5: Simplified 10-bit High-Speed ADC Block Diagram for Alternate Sample Mode



Figure 17-6: Simplified 10-bit High-Speed ADC Block Diagram for Scan Mode

17

0-bit Analog-to-Dic Converter (ADC)



PIC32 Family Reference Manual



17.5.7 Conversion Sequence Examples

The following configuration examples show the ADC operation in different sampling and buffering configurations. In each example, setting the ASAM bit (AD1CON2<1>) starts automatic sampling. A conversion trigger ends sampling and starts conversion.

17.5.8 Manual Conversion Control

When the SSRC<2:0> bits (AD1CON1<7:5>) = 000, the conversion trigger is under software control. Clearing the SAMP bit (AD1CON1<1>) starts the conversion sequence.

Figure 17-8 is an example where setting the SAMP bit initiates sampling and clearing the SAMP bit terminates sampling and starts conversion. The user software must time the setting and clearing of the SAMP bit to ensure adequate acquisition time of the input signal. See Example 17-1 for a code example.

Figure 17-8: Converting 1 Analog Input, Manual Sample Start, Manual Conversion Start



Example 17-1: Converting 1 Channel, Manual Sample Start, Manual Conversion Start Code

```
AD1PCFG = 0xFFFB;
                                  // PORTB = Digital; RB2 = analog
AD1CON1 = 0 \times 0000;
                                 // SAMP bit = 0 ends sampling
                                 // and starts converting
AD1CHS = 0 \times 00020000;
                                 // Connect RB2/AN2 as CH0 input
                                 // in this example RB2/AN2 is the input
AD1CSSL = 0:
AD1CON3 = 0 \times 0002;
                                // Manual Sample, TAD = internal 6 TPB
AD1CON2 = 0;
AD1CON1SET = 0x8000; // turn on the ADC
while (1)
                                 // repeat continuously
{
  AD1CON1SET = 0x0002; // start sampling.
DelayNmSec(100); // for 100 ms
AD1CON1CLR = 0x0002; // start Converting
                                // start sampling ...
  while (!(AD1CON1 & 0x0001));// conversion done?
  ADCValue = ADC1BUF0; // yes then get ADC value
                                 // repeat
```

17.5.9 Automatic Acquisition

Figure 17-9 is an example in which setting the ASAM bit (AD1CON1<2>) initiates automatic acquisition, and clearing the SAMP bit (AD1CON1<1>) terminates sampling and starts conversion. After the conversion completes, the module will automatically return to a acquisition state. The SAMP bit is automatically set at the start of the acquisition interval. The user software must time the clearing of the SAMP bit to ensure adequate acquisition time of the input signal, understanding that the time between clearing of the SAMP bit includes the conversion time as well as the acquisition time. See Example 17-2 for a code example.







```
AD1PCFG = 0 \times FF7F;
                               // all PORTB = Digital but RB7 = analog
AD1CON1 = 0 \times 0004;
                               // ASAM bit = 1 implies acquisition
                               // starts immediately after last
                               // conversion is done
AD1CHS = 0 \times 00070000;
                               // Connect RB7/AN7 as CH0 input
                               // in this example RB7/AN7 is the input
AD1CSSL = 0;
AD1CON3 = 0 \times 0002;
                               // Sample time manual, TAD = internal 6 TPB
AD1CON2 = 0;
AD1CON1SET = 0 \times 8000;
                               // turn ON the ADC
                               // repeat continuously
while (1)
{
 DelayNmSec(100);
                               // sample for 100 mS
 AD1CON1SET = 0 \times 0002;
                               // start Converting
 while (!(AD1CON1 & 0x0001));// conversion done?
 ADCValue = ADC1BUF0;
                               // yes then get ADC value
                               // repeat
}
```

17.5.10 Clocked Conversion Trigger

When the SSRC<2:0> bits (AD1CON1<7:5>) = 111, the conversion trigger is under ADC clock control. The SAMC<4:0> bits (AD1CON3<4:0>) select the number of TAD clock cycles between the start of acquisition and the start of conversion. This trigger option provides the fastest conversion rates on multiple channels. After the start of acquisition, the module will count a number of TAD clocks specified by the SAMC<4:0> bits.

Equation 17-10: Clocked Conversion Trigger Time

$$TSMP = SAMC < 4:0 > * TAD$$

SAMC must always be programmed for at least one clock cycle. See Example 17-3 for a code example.

Figure 17-10: Converting 1 Channel, Manual Sample Start, TAD Based Conversion Start



Example 17-3: Converting 1 Channel, Manual Sample Start, TAD Based Conversion Start Code

AD1PCFG = 0×EFFF; AD1CON1 = 0×00E0;	<pre>// all PORTB = Digital; RB12 = analog // SSRC bit = 111 implies internal // counter ends sampling and starts converting</pre>
AD1CHS = 0x000C0000;	// Connect RB12/AN12 as CH0 input
2210000	<pre>// in this example RB12/AN12 is the input</pre>
ADICSSL = 0;	
AD1CON3 = 0x1F02;	// Sample time = 31 TAD
AD1CON2 = 0;	
AD1CON1SET = 0x8000;	// turn ON the ADC
while (1)	// repeat continuously
{	
AD1CON1CLR = 0x0002;	<pre>// start sampling then</pre>
	// after 31Tad go to conversion
while (!(AD1CON1 & 0x0001));	// conversion done?
ADCValue = ADC1BUF0;	// ves then get ADC value
}	// repeat
J	// тереце

17.5.11 Free Running Sample Conversion Sequence

As shown in Figure 17-11, using the Auto-Convert Conversion Trigger mode (SSRC<2:0> = 111) in combination with the Automatic Sampling Start mode (ASAM = 1), allows the ADC module to schedule acquisition/conversion sequences with no intervention by the user or other device resources. This "Clocked" mode allows continuous data collection after module initialization. See Example 17-4 for a code example.





Example 17-4: Converting 1 Channel, Auto-Sample Start, TAD Based Conversion Start Code

```
AD1PCFG = 0 \times FFFB:
                                         // all PORTB = Digital; RB2 = analog
AD1CON1 = 0 \times 00E0;
                                        // SSRC bit = 111 implies internal
                                        // counter ends sampling and starts
                                        // converting
AD1CHS = 0 \times 00020000;
                                        // Connect RB2/AN2 as CH0 input
                                        // in this example RB2/AN2 is the input
AD1CSSL = 0;
                                        // Sample time = 15 TAD
AD1CON3 = 0 \times 0F00;
AD1CON2 = 0 \times 0004;
                                        // Interrupt after every 2 samples
AD1CON1SET = 0 \times 8000;
                                        // turn ON the ADC
while (1)
                                        // repeat continuously
{
  ADCValue = 0;
                                        // clear value
  ADC16Ptr = &ADC1BUF0;
                                      // initialize ADC1BUF0 pointer
  IFS1CLR = 0 \times 0002;
                                      // clear ADC interrupt flag
                                   // auto start sampling
  AD1CON1SET = 0x0004;
                                       // for 31 TAD, and then go to conversion
  while (!IFS1 & 0x0002); // conversion done?
AD1CON1CLR = 0x0004; // yes, stop sample/convert
  for (count = 0; count < 2; count++)// average the two ADC values</pre>
  {
     ADCValue = ADCValue + * (ADC16Ptr++);
     ADCValue = ADCValue >> 1;
  }
                                         // repeat
}
```

17.5.12 Acquisition Time Considerations Using Clocked Conversion Trigger and Automatic Sampling

Different acquisition/conversion sequences provide different available acquisition times for the sample-and-hold channel to acquire the analog signal. The user must ensure the acquisition time exceeds the acquisition requirements, as outlined in 17.5.20 "ADC Sampling Requirements".

Assuming that the module is set for automatic sampling and using a clocked conversion trigger, the acquisition interval is determined by the SAMC<4:0> bits (AD1CON3<12:8>). Equation 17-11 shows the available sampling time. Example 17-5 provides the Converting 1 Channel, Auto-Sample Start and Conversion Trigger Based Conversion Start code.

Equation 17-11: Available Sampling Time



Figure 17-12: Converting 1 Channel, Manual Sample Start, Conversion Trigger Based Conversion Start



Figure 17-13: Converting 1 Channel, Auto-Sample Start, Conversion Trigger Based Conversion Start

Conversion Trigger ADCLK	TSAM		/	
SAMP				
DONE				
ADC1BUF0	1 1	X		
ADC1BUF1	 			
set ASAM	1 = 1 X II	nstruction Execution		

Example 17-5: Converting 1 Channel, Auto-Sample Start, Conversion Trigger Based Conversion Start Code

```
AD1PCFG = 0 \times FFFB;
                                       // all PORTB = Digital; RB2 analog
AD1CON1 = 0 \times 0040;
                                       // SSRC bit = 010 implies GP TMR3
                                       // compare ends sampling and starts
                                       // converting.
AD1CHS = 0 \times 00020000;
                                       // Connect RB2/AN2 as CH0 input
                                       // in this example RB2/AN2 is the input
AD1CSSL = 0;
AD1CON3 = 0 \times 0000;
                                      // Sample time is TMR3, TAD = internal TPB * 2
AD1CON2 = 0 \times 0004;
                                      // Interrupt after 2 conversions
                                      // set TMR3 to time out every 125 ms \,
TMR3= 0x0000;
PR3= 0x3FFF;
T3CON = 0 \times 8010;
                                      // turn ON the ADC
AD1CON1SET = 0 \times 8000;
AD1CON1SET = 0 \times 0004;
                                      // start auto sampling every 125 mSecs
while (1)
                                      // repeat continuously
{
 while (!IFS1 & 0x0002){};
                                      // conversion done?
 ADCValue = ADC1BUF0;
                                      // yes then get first ADC value
                                      // clear ADIF
 IFS1CLR = 0 \times 0002;
}
                                       // repeat
```

17.5.13 Sampling a Single Channel Multiple Times

Figure 17-14 and Table 17-4 illustrate a basic configuration of the ADC module. In this case, one ADC input, AN0, will be acquired and converted. The results are stored in the ADC1BUF buffer. This process repeats 15 times until the buffer is full, and then the module generates an interrupt. The entire process repeats.

With the ALTS bit (AD1CON2<0>) clear, only the MUX A inputs are active. The CH0SA<3:0> bits (AD1CHS<19:16>) and CH0NA bit (AD1CHS<23>) are specified (AN0-VREF-) as the input to the sample/hold channel. Other input selection bits are not used.





Converting One Channel 15 Times/Interrupt Table 17-4:

SMPI<2:0> = 1111 Interrupt on 15th sample
Interrupt on 15th sample — —
BUFM = 0
Single 16-word result buffer
ALTS = 0
Always use MUX A input select
MUX A Input Select
CH0SA<3:0> = 0000
Select AN0 for CH0+ input
CHONA = 0
Select VR- for CH0- input
CSCNA = 0
No input scan
CSSL<15:0> = n/a
Scan input select unused
—
—
MUX B Input Select
CH0SB<3:0> = n/a
Mux B positive input unused
CH0NB = n/a
Mux B negative input unused
—
—

Sample MUX A Inputs: AN0
Convert, Write Buffer 0x0
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x1
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x2
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x3
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x4
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x5
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x6
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x7
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x8
Sample MUX A Inputs: AN0
Convert, Write Buffer 0x9
Sample MUX A Inputs: AN0
Convert, Write Buffer 0xA
Sample MUX A Inputs: AN0
Convert, Write Buffer 0xB
Sample MUX A Inputs: AN0
Convert, Write Buffer 0xC
Sample MUX A Inputs: AN0
Convert, Write Buffer 0xD
Sample MUX A Inputs: AN0
Convert, Write Buffer 0xE
Interrupt
Repeat

Buffer Address	Buffer @ 1st Interrupt
ADC1BUF0	AN0 sample 1
ADC1BUF1	AN0 sample 2
ADC1BUF2	AN0 sample 3
ADC1BUF3	AN0 sample 4
ADC1BUF4	AN0 sample 5
ADC1BUF5	AN0 sample 6
ADC1BUF6	AN0 sample 7
ADC1BUF7	AN0 sample 8
ADC1BUF8	AN0 sample 9
ADC1BUF9	AN0 sample 10
ADC1BUFA	AN0 sample 11
ADC1BUFB	AN0 sample 12
ADC1BUFC	AN0 sample 13
ADC1BUFD	AN0 sample 14
ADC1BUFE	AN0 sample 15
ADC1BUFF	

Buffer @ 2nd Interrupt
AN0 sample 16
AN0 sample 17
AN0 sample 18
AN0 sample 19
AN0 sample 20
AN0 sample 21
AN0 sample 22
AN0 sample 23
AN0 sample 24
AN0 sample 25
AN0 sample 26
AN0 sample 27
AN0 sample 28
AN0 sample 29
AN0 sample 30

Mux B positive input unused	Sample
Mux B negative input unused	Sample
_	
—	Sample I
	Sample

OPERATION SEQUENCE

17.5.14 Example: Analog-to-Digital Conversions While Scanning Through Analog Inputs

Figure 17-15 and Table 17-5 illustrate a typical setup where all available analog input channels are sampled and converted. Setting the CSCNA bit (AD1CON2<10>) specifies scanning of the ADC inputs. Other conditions are similar to the previous example, (see 17.5.13 "Sampling a Single Channel Multiple Times").

Initially, the AN0 input is acquired and converted. The result is stored in the ADC1BUF buffer. Then the AN1 input is acquired and converted. This process of scanning the inputs repeats 16 times until the buffer is full and then the module generates an interrupt. Then, the entire process repeats.

Conversion Trigger	 I ← TSAMP ►	-Ts/	AMP +			-TSAMP -	L;
ADCLK				₩ <u></u>			
put MUX A	AN0	X	AN1			XAN	15 X
ASAM		1		1	1 1 1	1 1 1	
SAMP				55			
DONE		1		י י <u>ب</u>	1 1	1 1	
ADC1BUF0	1 1	X	-	<u></u>	1 1	1 1	i
ADC1BUF1	I I I	1 1 1			1 1	1 1	
ADC1BUFE		1 1 1			1 1	X	I
ADC1BUFF	1 1				1	1	X
ADIF		1 1 1		 ا			Ĺ
set AS2	AM = 1 X Instructi	on Execution		1			1

Figure 17-15: Scanning Through 16 Inputs 16 Samples Per Interrupt

Table II el ecaliting III eagli le inpatoliterape

CONTROL BITS Sequence Select		
SMPI<2:0> = 1111		
	Interrupt on 16th sample	
	—	
	—	
BUFM = 0		
	Single 16-word result buffer	
ALTS = 0		
	Always use MUX A input select	
MUX	A Input Select	
CH0SA<3:0> = n/a		
	Overridden by CSCNA	
CH0NA = 0		
Sele	ect VR- for MUX A negative input	
CSCNA = 1		
	Scan inputs	
CSSL<15:0> = 1111	1111 1111 1111	
	Scan input select	
	_	
—		
MUX B Input Select		
SB<3:0> = n/a		
	MUX B positive input unused	

MUX B negative input unused

OPERATION SEQUENCE

Sample MUX A Inputs: AN0		
Convert, Write Buffer 0x0		
Sample MUX A Inputs: AN1		
Convert, Write Buffer 0x1		
Sample MUX A Inputs: AN2		
Convert, Write Buffer 0x2		
Sample MUX A Inputs: AN3		
Convert, Write Buffer 0x3		
Sample MUX A Inputs: AN4		
Convert, Write Buffer 0x4		
Sample MUX A Inputs: AN5		
Convert, Write Buffer 0x5		
Sample MUX A Inputs: AN6		
Convert, Write Buffer 0x6		
Sample MUX A Inputs: AN7		
Convert, Write Buffer 0x7		
Sample MUX A Inputs: AN8		
Convert, Write Buffer 0x8		
Sample MUX A Inputs: AN9		
Convert, Write Buffer 0x9		
Sample MUX A Inputs: AN10		
Convert, Write Buffer 0xA		
Sample MUX A Inputs: AN11		
Convert, Write Buffer 0xB		
Sample MUX A Inputs: AN12		
Convert, Write Buffer 0xC		
Sample MUX A Inputs: AN13		
Convert, Write Buffer 0xD		
Sample MUX A Inputs: AN14		
Convert, Write Buffer 0xE		
Sample MUX A Inputs: AN15		
Convert, Write Buffer 0xF		
Interrupt		
Repeat		

Buffer	Buffer @
Address	1st Interrupt
ADC1BUF0	AN0 sample 1
ADC1BUF1	AN1 sample 2
ADC1BUF2	AN2 sample 3
ADC1BUF3	AN3 sample 4
ADC1BUF4	AN4 sample 5
ADC1BUF5	AN5 sample 6
ADC1BUF6	AN6 sample 7
ADC1BUF7	AN7 sample 8
ADC1BUF8	AN8 sample 9
ADC1BUF9	AN9 sample 10
ADC1BUFA	AN10 sample 11
ADC1BUFB	AN11 sample 12
ADC1BUFC	AN12 sample 13
ADC1BUFD	AN13 sample 14
ADC1BUFE	AN14 sample 15
ADC1BUFF	AN15 sample 16

Buffer @	
2nd Interrupt	
AN0 sample 17	
AN1 sample 18	
AN2 sample 19	
AN3 sample 20	
AN4 sample 21	
AN5 sample 22	
AN6 sample 23	
AN7 sample 24	•
AN8 sample 25	
AN9 sample 26	
AN10 sample 27	
AN11 sample 28	
AN12 sample 29	
AN13 sample 30	
AN14 sample 31	
AN15 sample 32	

CH0NB = n/a

17.5.15 Example: Using Dual 8-Word Buffers

Figure 17-16 and Table 17-6 demonstrate using dual 8-word buffers and alternating the buffer fill. Setting the BUFM bit (AD1CON2<1>) enables dual 8-word buffers. The BUFM bit setting does not affect other operational parameters. First, the conversion sequence starts filling the buffer at ADC1BUF0 (buffer location 0×0). After the first interrupt occurs, the buffer begins to fill at ADC1BUF8 (buffer location 0×8). The BUFS Status bit (AD1CON2<7>) is alternately set and cleared after each interrupt to show which buffer is being filled. In this example, three analog inputs are sampled and an interrupt occurs after every third sample.





Table 17-6: Converting Three Inputs, Three Samples/Interrupt Using Dual 8-Word Buffers

CONTROL BITS	
Sequence Select	
SMPI<2:0> = 0010	
Interrupt after every third sample	
_	
BUFM = 1	
Dual 8-word result buffers	
ALTS = 0	
Always use MUX A	
MUX A Input Select	
CH0SA<3:0> = n/a	
MUX A positive input select is not used	
CHONA = 0	
Select VR- for MUX A negative input	
CSCNA = 1	
Enable input scan	
CSSL<15:0> = 0x0007	
Scan input select scan list consisting of AN0, AN1,	
and AN2	
AD1PCFG = 0X0007	
Select Analog Input mode for AN0, AN1, and AN2	
—	
MUX B Input Select	
CH0SB<3:0> = n/a	
MUX B positive input unused	
CH0NB = n/a	
MUX B negative input unused	
_	

OPERATION SEQUENCE	
Sample MUX A Inputs: AN0	
Convert AN0, Write Buffer 0x0	
Sample MUX A Inputs: AN1	
Convert AN1, Write Buffer 0x1	
Sample MUX A Inputs: AN2	
Convert AN2, Write Buffer 0x2	
Interrupt; Change Buffer	
Sample MUX A Inputs: AN0	
Convert AN0, Write Buffer 0x8	
Sample MUX A Inputs: AN1	
Convert AN1, Write Buffer 0x9	
Sample MUX A Inputs: AN2	
Convert AN2, Write Buffer 0xA	
Interrupt; Change Buffer	
Repeat	

Buffer	Buffer @
Address	1st Interrupt
ADC1BUF0	AN0 sample 1
ADC1BUF1	AN1 sample 1
ADC1BUF2	AN2 sample 1
ADC1BUF3	
ADC1BUF4	
ADC1BUF5	
ADC1BUF6	
ADC1BUF7	
ADC1BUF8	
ADC1BUF9	
ADC1BUFA	
ADC1BUFB	
ADC1BUFC	
ADC1BUFD	
ADC1BUFE	
ADC1BUFF	

Buffer @ 2nd Interrupt
AN0 sample 2
AN1 sample 2
AN2 sample 2

17.5.16 Example: Using Alternating MUX A and MUX B Input Selections

Figure 17-17 and Table 17-7 demonstrate alternating sampling of the inputs assigned to MUX A and MUX B. Setting the ALTS (AD1CON2<0>) bit enables alternating input selections. The first sample uses the MUX A inputs specified by the CH0SA (AD1CHS<19:16>) and CH0NA (AD1CHS<23>) bits. The next sample uses the MUX B inputs specified by the CH0SB (AD1CHS<27:24>) and CH0NB (AD1CHS<31>) bits.

In the following example, one of the MUX B input specifications uses two analog inputs as a differential source to the sample/hold.

This example also demonstrates use of the dual 8-word buffers. An interrupt occurs after every fourth sample, which results in filling 4 words into the buffer on each interrupt.

Figure 17-17: Converting Two Analog Inputs by Alternating with Four Samples Per Interrupt

Conversion Trigger ADCLK	
Input to MUX A	AN0 AN0
Input to MUX B	AN1
ASAM	
SAMP	
DONE	
ADC1BUF0	X
ADC1BUF1	
ADC1BUFE	
ADC1BUFF	
ADIF	
	set ASAM = 1 X Instruction Execution

Table 17-7: Converting Two Sets of Inputs Using Alternating Input Selections

CONTROL BITS	
Sequence Select	
SMPI<2:0> = 0011	
Interrupt on 4th sample	
—	
—	
BUFM = 1	
Dual 8-word result buffers	
ALTS = 1	
Alternate MUX A/B input select	
MUX A Input Select	
CH0SA<3:0> = 0000	
Select AN0 for MUX A positive input	
CHONA = 0	
Select VR- for MUX A negative input	
CSCNA = 0	
No input scan	
CSSL<15:0> = n/a	
Scan input select unused	
—	
—	
MUX B Input Select	
CH0SB<3:0> = 0001	
Select AN1 for MUX B positive input	
CHONB = 0	
Select VR- for MUX B negative input	
—	

OPERATION SEQUENCE	
Sample MUX A Inputs: AN0	
Convert, Write Buffer 0x0	
Sample MUX B Inputs: AN1	
Convert, Write Buffer 0x1	
Sample MUX A Inputs: AN0	
Convert, Write Buffer 0x2	
Sample MUX B Inputs: AN1	
Convert, Write Buffer 0x3	
Interrupt; Change Buffer	
Sample MUX A Inputs: AN0	
Convert, Write Buffer 0x8	
Sample MUX B Inputs: AN1	
Convert, Write Buffer 0x9	
Sample MUX A Inputs: AN0	
Convert, Write Buffer 0xA	
Sample MUX B Inputs: AN1	
Convert, Write Buffer 0xB	
Interrupt; Change Buffer	
Repeat	

Buffer	Buffer @
Address	1st Interrupt
ADC1BUF0	AN0 sample 1
ADC1BUF1	AN1 sample 1
ADC1BUF2	AN0 sample 2
ADC1BUF3	AN1 sample 2
ADC1BUF4	
ADC1BUF5	
ADC1BUF6	
ADC1BUF7	
ADC1BUF8	
ADC1BUF9	
ADC1BUFA	
ADC1BUFB	
ADC1BUFC	
ADC1BUFD	
ADC1BUFE	
ADC1BUFF	

and Interrupt
2nd Interrupt
ANU sample 3
AN1 sample 3
AN0 sample 4
AN1 sample 4

17.5.17 Example: Converting Three Analog Inputs Using Alternating Sample Mode and a Scan List

Figure 17-18, Figure 17-19, and Table 17-8 demonstrate sampling by scanning through inputs and alternating between MUX A and MUX B. When the Alternating Sample mode is selected, the first input to be sampled will be the input selected for MUX A, the second sample will be the input selected for MUX B. Then the process repeats. When scanning is combined with Alternating Input mode, the positive input to MUX A is selected by the contents of the AD1CSSL register, not the CH0SA<3:0> bits (AD1CHS<19:16>). For each sample that MUX A is selected the next item in the scan list is sampled. The positive input to MUX B is selected by the CH0SB<3:0> bits (AD1CHS<27:24>).

When the ASAM bit (AD1CON1<2>) is clear, sampling will not resume after conversion completion, but will occur when setting the SAMP bit (AD1CON1<1>).

Figure 17-18: Converting Three Analog Inputs Using Alternating Sample Mode and a Scan List





Figure 17-19: 10-bit High-Speed ADC Block Diagram for Alternating Sample and Scan

Table 17-8: Sampling Eight Inputs Using Sequential Sampling

CONTROL BITS	
Sequence Select	
SMPI<2:0> = 0011	
Interrupt on 4th sample	
—	
—	
BUFM = 0	
Single 16-word result buffer	
ALTS = 1	
Alternate MUX A/B input select	
MUX A Input Select	
CH0SA<3:0> = n/a	
Not used	
CHONA = 0	
Select VR- for CH0- input	
CSCNA = 1	
Enable input scan	
CSSL<15:0> = n/a	
Scan input select scan list consisting of AN0 and AN1	
—	
—	
MUX B Input Select	
CH0SB<3:0> = 0010	
Select AN7 for CH0+ input	
CHONB = 0	
Select VR- for CH0- input	

OPERATION SEQUENCE

Sample: AN0		
	Convert, Write Buffer 0x0	
Sample: AN2		
	Convert, Write Buffer 0x1	
Sample: AN1		
	Convert, Write Buffer 0x2	
Sample: AN2		
	Convert, Write Buffer 0x3	
Interrupt		
Repeat		

Buffer	
Address	
ADC1BUF0	
ADC1BUF1	
ADC1BUF2	
ADC1BUF3	
ADC1BUF4	
ADC1BUF5	
ADC1BUF6	
ADC1BUF7	
ADC1BUF8	
ADC1BUF9	
ADC1BUFA	
ADC1BUFB	
ADC1BUFC	
ADC1BUFD	
ADC1BUFE	
ADC1BUFF	

Buffer @		
1st Interrupt		
AN0 sample 1		
AN2 sample 2		
AN1 sample 3		
AN2 sample 4		

Buffer @		
2nd Interrupt		
AN0 sample 5		
AN2 sample 6		
AN1 sample 7		
AN2 sample 8		

17.5.18 Transfer Function

The ideal transfer function of the ADC is shown in Figure 17-20. The difference of the input voltages, (VINH – VINL), is compared to the reference, (VR+ – VR-).

- The first code transition occurs when the input voltage is (VR+ VR-L/2048) or 0.5 LSb
- The 00 0000 0001 code is centered at (VR+ VR-/1024) or 1.0 LSb
- The 10 0000 0000 code is centered at (512 * (VR+ VR-)/1024)
- An input voltage less than (1 * (VR+ VR-L)/2048) converts as 00 0000 0000
- An input greater than (2045 * (VR+ VR-)/2048) converts as 11 1111 1111



Figure 17-20: ADC Transfer Function

17.5.19 ADC Accuracy/Error

Refer to 17.10 "Related Application Notes" for a list of documents that discuss ADC accuracy. The following figure depicts the recommended circuit for the conversion rates above 400 ksps. A 100-pin PIC32 device package is shown as an example in Figure 17-21.



Figure 17-21: ADC Voltage Reference Schematic

17.5.20 ADC Sampling Requirements

The analog input model of the 10-bit ADC module is shown in Figure 17-22. The total acquisition time for the analog-to-digital conversion is a function of the internal amplifier settling time and the holding capacitor charge time.

For the ADC module to meet its specified accuracy, the charge holding capacitor (CHOLD) must be allowed to fully charge to the voltage level on the analog input pin. The analog output source impedance (Rs), the interconnect impedance (RIC), and the internal sampling switch (Rss) impedance combine to directly affect the time required to charge the CHOLD. The combined impedance of the analog sources must therefore be small enough to fully charge the holding capacitor within the chosen sample time. After the analog input channel is selected (changed), this acquisition function must be completed prior to starting the conversion. The internal holding capacitor will be in a discharged state prior to each sample operation.

A time period of at least 1 TAD should be allowed between conversions for the acquisition time. Refer to the "**Electrical Characteristics**" section in the specific device data sheet for more information.





17.5.21 Connection Considerations

Since the analog inputs employ Electrostatic Discharge (ESD) protection, they have diodes to VDD and Vss. This requires that the analog input must be between VDD and Vss. If the input voltage exceeds this range by greater than 0.3V (in either direction), one of the diodes becomes forward-biased and it may damage the device if the input current specification is exceeded.

An external RC filter is sometimes added for anti-aliasing of the input signal. The R component should be selected to ensure that the acquisition time requirements are satisfied. Any external components connected (through high-impedance) to an analog input pin (capacitor, Zener diode, etc.) should have very little leakage current at the pin.

17.6 INITIALIZATION

A simple initialization code example for the ADC module is provided in Example 17-6. Example 17-7 shows the Converting 1 Channel at 400 ksps, Auto-Sample Start and 2 TAD Sampling Time code example.

In this particular configuration, all 16 analog input pins, AN0-AN15, are set up as analog inputs. Operation in Idle mode is disabled, output data is in unsigned fractional format, and AVDD and AVss are used for VR+ and VR-. The start of acquisition, as well as start of conversion (conversion trigger), are performed manually in software. The Channel 0 (CH0) SHA is used for conversions. Scanning of inputs is disabled, and an interrupt occurs after every acquisition/convert sequence (1 conversion result). The ADC conversion clock is TPB/2.

Since acquisition is started manually by setting the SAMP bit (AD1CON1<1>) after each conversion is complete, the auto-sample time bits, SAMC<4:0> (AD1CON3<12:8>), are ignored. Moreover, since the start of conversion (i.e., end of acquisition) is also triggered manually, the SAMP bit needs to be cleared each time a new sample needs to be converted.

Example 17-6:	ADC Initialization Code	Example
		LAUNPIC

AD1PCFG = 0x0000;	<pre>/* Configure ADC port all input pins are analog */</pre>			
AD1CON1 = 0x2208;	<pre>/* Configure sample clock source and Conversion Trigger mode. Unsigned Fractional format, Manual conversion trigger, Manual start of sampling, Simultaneous sampling, No operation in IDLE mode. */</pre>			
AD1CON2 = 0x0000;	<pre>/* Configure ADC voltage reference and buffer fill modes. VREF from AVDD and AVSS, Inputs are not scanned, Interrupt every sample */</pre>			
AD1CON3 = 0x0000;	/* Configure ADC conversion clock */			
AD1CHS = 0x0000;	/* Configure input channels, CH0+ input is ANO. CHO- input is VREFL (AVss)			
AD1CSSL = 0x0000;	<pre>/* No inputs are scanned. Note: Contents of AD1CSSL are ignored when CSCNA = 0 */</pre>			
IFS1CLR = 2;	/*Clear ADC conversion interrupt*/			
<pre>// Configure ADC interrupt priority bits (AD1IP<2:0>) here, if // required. (default priority level is 4)</pre>				
IEC1SET = 2;	/* Enable ADC conversion interrupt*/			
AD1CON1SET = 0x8000; AD1CON1SET = 0x0002; DelayNmSec(100);	<pre>/* Turn on the ADC module */ /* Start sampling the input */ /* Ensure the correct sampling time has elapsed before starting a conversion.*/</pre>			
AD1CON1CLR = 0x0002; : :	<pre>/* End Sampling and start Conversion*/ /* The DONE bit is set by hardware when the convert sequence is finished. */ /* The ADIF bit will be set. */</pre>			

Example 17-7: Converting 1 Channel at 400 ksps, Auto-Sample Start, 2 TAD Sampling Time Code Example

```
AD1PCFG = 0xFFFB;
                                         // all PORTB = Digital; RB2 = analog
AD1CON1 = 0 \times 00E0;
                                         // SSRC bit = 111 implies internal
                                         // counter ends sampling and starts
                                         // converting.
AD1CHS = 0 \times 00020000;
                                         // Connect RB2/AN2 as CH0 input
                                         // in this example RB2/AN2 is the input
AD1CSSL = 0;
                                         // Sample time = 2 TAD
AD1CON3 = 0 \times 0203;
AD1CON2 = 0 \times 6004;
                                         // Select external VREF+ and VREF- pins
                                         // Interrupt after every 2 samples
AD1CON1bits.ADON = 1;
                                         // turn ON the ADC
                                         // repeat continuously
while (1)
{
  ADCValue = 0;
                                             // clear value
  ADC16Ptr = &ADC1BUF0;
                                             // initialize ADC1BUF0 pointer
  IF1bits.AD1IF = 0;
                                             // clear ADC interrupt flag
                                             // auto start sampling
  AD1CON1bits.ASAM = 1;
                                             // for 31 TAD, and then go to conversion
                                            // conversion done?
  while (!IFSObits.ADIF);
  AD1CON1bits.ASAM = 0;
                                             // yes, stop sample/convert
  for (count = 0; count <2; count++)</pre>
                                             // average the two
  {
       ADCValue = ADCValue + *ADC16Ptr++;
       ADCValue = ADCValue >> 1;
  }
                                             // repeat
}
```

17.7 INTERRUPTS

The ADC module has a dedicated interrupt bit, AD1IF bit (IFS1<1>), and a corresponding interrupt enable/mask bit, AD1IE bit (IEC<1>). These bits are used to determine the source of an interrupt and to enable or disable an individual interrupt source. The priority level of each of the channels can also be set independently of the other channels.

The AD1IF bit (IFS1<1>) is set when the condition set by the Samples Per Interrupt bit, SMPI<3:0> bits (AD1CON2<5:2>), is met. The AD1IF bit (IFS1<1>) will then be set without regard to the state of the corresponding AD1IE bit (IEC<1>). The AD1IF bit (IFS1<1>) can be polled by software if desired.

The AD1IE bit (IEC<1>) controls the interrupt generation. If the AD1xIE bit is set, the CPU will be interrupted whenever an event defined by SMPI<3:0> occurs and the corresponding AD1IF bit (IFS1<1>) will be set (subject to the priority and sub priority as outlined below).

It is the responsibility of the routine that services a particular interrupt to clear the appropriate Interrupt Flag bit before the service routine is complete.

The priority of the ADC interrupt can be set independently through the AD1IP<2:0> bits (IPC6<28:26>). This priority defines the priority group that interrupt source will be assigned to. The priority groups range from a value of 7, the highest priority, to a value of 0, which does not generate an interrupt. An interrupt being serviced will be preempted by an interrupt in a higher priority group.

The subpriority bits allow setting the priority of a interrupt source within a priority group. The values of the subpriority, AD1IS<1:0> bits (IPC6<25:24>), range from 3, the highest priority, to 0 the lowest priority. An interrupt with the same priority group but having a higher subpriority value will preempt a lower subpriority interrupt that is in progress.

The priority group and subpriority bits allow more than one interrupt source to share the same priority and subpriority. If simultaneous interrupts occur in this configuration the natural order of the interrupt sources within a priority/subgroup pair determine the interrupt generated. The natural priority is based on the vector numbers of the interrupt sources. The lower the vector number the higher the natural priority of the interrupt. Any interrupts that were overridden by natural order will then generate their respective interrupts based on priority, subpriority, and natural order after the interrupt flag for the current interrupt is cleared.

After an enabled interrupt is generated, the CPU will jump to the vector assigned to that interrupt. The vector number for the interrupt is the same as the natural order number. The IRQ number is not always the same as the vector number due to some interrupts sharing a single vector. The CPU will then begin executing code at the vector address. The users code at this vector address should perform an operations required, such as reloading the duty cycle, clear the interrupt flag, and then exit. Refer to **Section 8. "Interrupts"** (DS61108) for vector address table details and for more information on interrupts. Example 17-8 shows a code example of the ADC interrupt configuration.

Example 17-8: ADC Interrupt Configuration Code Example

IPS6SET = 0x0014;	// Set Priority to 5
IPS6SET = 0x0003;	// Set Sub Priority to 3
	//
IFS1CLR = $0 \times 0002;$	<pre>// Ensure the interrupt flag is clear</pre>
$IEC1SET = 0 \times 0002;$	// Enable ADC interrupts

Note: Some PIC32 devices feature persistent interrupts. On such devices, clearing the AD1IF flag bit will not have any effect unless ADC1BUFx register is read. Refer to the specific device data sheet and **Section 8. "Interrupts"** (DS61108) for more information.

17.8 OPERATION DURING SLEEP AND IDLE MODES

Sleep and Idle modes are useful for minimizing conversion noise because the digital activity of the CPU, buses and other peripherals is minimized.

17.8.1 CPU Sleep Mode Without RC ADC Clock

When the device enters Sleep mode, all clock sources to the module are shut down and stay at logic '0'.

If Sleep occurs in the middle of a conversion, the conversion is aborted unless the ADC module is clocked from its internal RC clock generator. The converter will not resume a partially completed conversion on exiting from Sleep mode.

ADC register contents are not affected by the device entering or leaving Sleep mode.

17.8.2 CPU Sleep Mode With RC ADC Clock

The ADC module can operate during Sleep mode if the ADC clock source is set to the internal RC oscillator (ADRC bit (AD1CON3<15>) = 1). This reduces the digital switching noise from the conversion. When the conversion is completed, the DONE bit (AD1CON1<0>) will be set and the result loaded into the ADC result buffer, ADC1BUFx.

If the ADC interrupt is enabled (AD1IE bit (IEC<1>) = 1), the device will wake up from Sleep when the ADC interrupt occurs. Program execution will resume at the ADC Interrupt Service Routine (ISR), if the ADC interrupt is greater than the current CPU priority. Otherwise, execution will continue from the instruction after the WAIT instruction that placed the device in Sleep mode.

If the ADC interrupt is not enabled, the ADC module will then be disabled, although the ON bit (AD1CON1<15>) will remain set.

To minimize the effects of digital noise on the ADC module operation, the user should select a conversion trigger source that ensures the analog-to-digital conversion will take place in Sleep mode. The automatic conversion trigger option can be used for sampling and conversion in Sleep (SSRC<2:0> bits (AD1CON1<7:5>) = 111). To use the automatic conversion option, the ADC ON bit should be set in the instruction prior to the WAIT instruction.

Note: For the ADC module to operate in Sleep mode, the ADC clock source must be set to the internal RC oscillator (ADRC = 1).

17.8.3 ADC Operation During CPU IDLE Mode

For the ADC, the SIDL bit (AD1CON1<13>) specifies whether the module will stop on Idle or continue on Idle. If the SIDL bit = 0, the ADC module will continue normal operation when the device enters Idle mode. If the ADC interrupt is enabled (AD1IE bit = 1), the device will wake up from Idle mode when the ADC interrupt occurs. Program execution will resume at the ADC ISR, if the ADC interrupt is greater than the current CPU priority. Otherwise, execution will continue from the instruction after the WAIT instruction that placed the device in Idle mode.

If the SIDL bit = 1, the ADC module will stop in Idle mode. If the device enters Idle mode in the middle of a conversion, the conversion is aborted. The converter will not resume a partially completed conversion on exiting from Idle mode.

17.9 EFFECTS OF VARIOUS RESETS

17.9.1 Master Clear Reset

Following a Master Clear (MCLR) reset, all of the ADC control registers (AD1CON1, AD1CON2, AD1CON3, AD1CHS, AD1PCFG, and AD1CSSL) are reset to a value of 0x00000000. This disables the ADC module and sets the analog input pins to Analog Input mode. Any conversion that was in progress will terminate and the result will not be written to the result buffer.

The values in the ADC1BUFx registers are initialized during a MCLR Reset. ADC1BUF0 through ADC1BUFF will contain 0x00000000.

17.9.2 Power-on Reset

Following a Power-on Reset (POR) event, all of the ADC control registers (AD1CON1, AD1CON2, AD1CON3, AD1CHS, AD1PCFG and AD1CSSL) are reset to a value of 0x00000000. This disables the ADC module and sets the analog input pins to Analog Input mode.

The values in the ADC1BUFx registers are initialized during a POR. ADC1BUF0 through ADC1BUFF will contain 0x00000000.

17.9.3 Watchdog Timer Reset

Following a Watchdog Timer (WDT) reset, all of the ADC control registers (AD1CON1, AD1CON2, AD1CON3, AD1CHS, AD1PCFG and AD1CSSL) are reset to a value of 0x00000000. This disables the ADC module and sets the analog input pins to Analog Input mode. Any conversion that was in progress will terminate and the result will not be written to the result buffer.

The values in the ADC1BUFx registers are initialized after a WDT reset. ADC1BUF0 through ADC1BUFF will contain 0x00000000.

17.10 RELATED APPLICATION NOTES

This section lists application notes that are related to this section of the manual. These application notes may not be written specifically for the PIC32 device family, but the concepts are pertinent and could be used with modification and possible limitations. The current application notes related to the 10-bit Analog-to-Digital Converter (ADC) module are:

Title	Application Note #
Using the Analog-to-Digital (A/D) Converter	AN546
Four Channel Digital Voltmeter with Display and Keyboard	AN557
Understanding ADC Performance Specifications	AN693

Note: Please visit the Microchip web site (www.microchip.com) for additional Application Notes and code examples for the PIC32 family of devices.

17.11 REVISION HISTORY

Revision A (October 2007)

This is the initial released version of this document.

Revision B (October 2007)

Updated document to remove Confidential status.

Revision C (April 2008)

Revised status to Preliminary; Revised U-0 to r-x.

Revision D (June 2008)

Revised Register 17-1 note; Revised Registers 17-13, 17-17, 17-21, 17-25, 17-26; Revised Equation 17-1; Added Section 17.5.6; Revised Tables 17-4, 17-5, 17-6, 17-7, 17-8; Delete Section 17.11.5 (500 KSPS Configuration Guideline); Change Reserved bits from "Maintain as" to "Write"; Added Note to ON bit (AD1CON1 Register).

Revision E (August 2011)

This revision includes the following updates:

- · Equations:
 - Added Equation 17-3 through Equation 17-9 in 17.4.12.1 "Configuring the ADC for 1000 ksps Operation"
- · Figures:
 - Replaced Figure 17-1
- · Registers:
 - Removed all Interrupt registers
- Notes:
 - Removed Note 1 in Register 17-1
 - Added a note about TPB in Register 17-3
 - Added Note 2 in 17.4.1 "Configuring Analog Port Pins"
 - Added a note about the AD1IF flag bit in 17.7 "Interrupts"
- Sections:
 - Added 17.4.12.1 "Configuring the ADC for 1000 ksps Operation"
 - Removed 17.8 I/O PIN CONTROL
 - Removed all the Motor Control application notes reference in **17.10** "Related Application Notes"
 - Removed 17.11 DESIGN TIPS
- Tables:
 - Removed the Clear, Set and Invert registers associated with the AD1CONx, AD1CHS, AD1PCFG, AD1CSSL registers and added notes about the Set, Invert and Clear register in Table 17-1
 - Removed Table 17-9: ADC Interrupt Vectors for Various Offsets with EBASE = 0x8000:0000
- Changed all occurrences of PIC32MX to PIC32
- Updates to register formatting and minor text updates have been incorporated throughout the document

17

NOTES:

Note the following details of the code protection feature on Microchip devices:

- · Microchip products meet the specification contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is one of the most secure families of its kind on the market today, when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods used to breach the code protection feature. All of these methods, to our knowledge, require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Most likely, the person doing so is engaged in theft of intellectual property.
- Microchip is willing to work with the customer who is concerned about the integrity of their code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of their code. Code protection does not mean that we are guaranteeing the product as "unbreakable."

Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

Information contained in this publication regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR PURPOSE. Microchip disclaims all liability arising from this information and its use. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights.

QUALITY MANAGEMENT SYSTEM CERTIFIED BY DNV ISO/TS 16949:2009

Trademarks

The Microchip name and logo, the Microchip logo, dsPIC, KEELOQ, KEELOQ logo, MPLAB, PIC, PICmicro, PICSTART, PIC³² logo, rfPIC and UNI/O are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

FilterLab, Hampshire, HI-TECH C, Linear Active Thermistor, MXDEV, MXLAB, SEEVAL and The Embedded Control Solutions Company are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Analog-for-the-Digital Age, Application Maestro, chipKIT, chipKIT logo, CodeGuard, dsPICDEM, dsPICDEM.net, dsPICworks, dsSPEAK, ECAN, ECONOMONITOR, FanSense, HI-TIDE, In-Circuit Serial Programming, ICSP, Mindi, MiWi, MPASM, MPLAB Certified logo, MPLIB, MPLINK, mTouch, Omniscient Code Generation, PICC, PICC-18, PICDEM, PICDEM.net, PICkit, PICtail, REAL ICE, rfLAB, Select Mode, Total Endurance, TSHARC, UniWinDriver, WiperLock and ZENA are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

All other trademarks mentioned herein are property of their respective companies.

© 2007-2011, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.



ISBN: 978-1-61341-575-7

Microchip received ISO/TS-16949:2009 certification for its worldwide headquarters, design and wafer fabrication facilities in Chandler and Tempe, Arizona; Gresham, Oregon and design centers in California and India. The Company's quality system processes and procedures are for its PIC® MCUs and dsPIC® DSCs, KEELOQ® code hopping devices, Serial EEPROMs, microperipherals, nonvolatile memory and analog products. In addition, Microchip's quality system for the design and mulfacture of development systems is ISO 9001:2000 certified.



Worldwide Sales and Service

AMERICAS

Corporate Office 2355 West Chandler Blvd. Chandler, AZ 85224-6199 Tel: 480-792-7200 Fax: 480-792-7277 Technical Support: http://www.microchip.com/ support

Web Address: www.microchip.com

Atlanta Duluth, GA Tel: 678-957-9614 Fax: 678-957-1455

Boston Westborough, MA Tel: 774-760-0087 Fax: 774-760-0088

Chicago Itasca, IL Tel: 630-285-0071 Fax: 630-285-0075

Cleveland Independence, OH Tel: 216-447-0464 Fax: 216-447-0643

Dallas Addison, TX Tel: 972-818-7423 Fax: 972-818-2924

Detroit Farmington Hills, MI Tel: 248-538-2250 Fax: 248-538-2260

Indianapolis Noblesville, IN Tel: 317-773-8323 Fax: 317-773-5453

Los Angeles Mission Viejo, CA Tel: 949-462-9523 Fax: 949-462-9608

Santa Clara Santa Clara, CA Tel: 408-961-6444 Fax: 408-961-6445

Toronto Mississauga, Ontario, Canada Tel: 905-673-0699 Fax: 905-673-6509

ASIA/PACIFIC

Asia Pacific Office Suites 3707-14, 37th Floor Tower 6, The Gateway Harbour City, Kowloon Hong Kong Tel: 852-2401-1200 Fax: 852-2401-3431 Australia - Sydney

Tel: 61-2-9868-6733 Fax: 61-2-9868-6755

China - Beijing Tel: 86-10-8569-7000 Fax: 86-10-8528-2104

China - Chengdu Tel: 86-28-8665-5511 Fax: 86-28-8665-7889

China - Chongqing Tel: 86-23-8980-9588 Fax: 86-23-8980-9500

China - Hangzhou Tel: 86-571-2819-3187 Fax: 86-571-2819-3189

China - Hong Kong SAR Tel: 852-2401-1200 Fax: 852-2401-3431

China - Nanjing Tel: 86-25-8473-2460 Fax: 86-25-8473-2470

China - Qingdao Tel: 86-532-8502-7355 Fax: 86-532-8502-7205

China - Shanghai Tel: 86-21-5407-5533 Fax: 86-21-5407-5066

China - Shenyang Tel: 86-24-2334-2829 Fax: 86-24-2334-2393

China - Shenzhen Tel: 86-755-8203-2660 Fax: 86-755-8203-1760

China - Wuhan Tel: 86-27-5980-5300 Fax: 86-27-5980-5118

China - Xian Tel: 86-29-8833-7252 Fax: 86-29-8833-7256

China - Xiamen Tel: 86-592-2388138 Fax: 86-592-2388130

China - Zhuhai Tel: 86-756-3210040 Fax: 86-756-3210049

ASIA/PACIFIC

India - Bangalore Tel: 91-80-3090-4444 Fax: 91-80-3090-4123

India - New Delhi Tel: 91-11-4160-8631 Fax: 91-11-4160-8632

India - Pune Tel: 91-20-2566-1512 Fax: 91-20-2566-1513

Japan - Yokohama Tel: 81-45-471- 6166 Fax: 81-45-471-6122

Korea - Daegu Tel: 82-53-744-4301 Fax: 82-53-744-4302

Korea - Seoul Tel: 82-2-554-7200 Fax: 82-2-558-5932 or 82-2-558-5934

Malaysia - Kuala Lumpur Tel: 60-3-6201-9857 Fax: 60-3-6201-9859

Malaysia - Penang Tel: 60-4-227-8870 Fax: 60-4-227-4068

Philippines - Manila Tel: 63-2-634-9065 Fax: 63-2-634-9069

Singapore Tel: 65-6334-8870 Fax: 65-6334-8850

Taiwan - Hsin Chu Tel: 886-3-5778-366 Fax: 886-3-5770-955

Taiwan - Kaohsiung Tel: 886-7-536-4818 Fax: 886-7-330-9305

Taiwan - Taipei Tel: 886-2-2500-6610 Fax: 886-2-2508-0102

Thailand - Bangkok Tel: 66-2-694-1351 Fax: 66-2-694-1350

EUROPE

Austria - Wels Tel: 43-7242-2244-39 Fax: 43-7242-2244-393 Denmark - Copenhagen Tel: 45-4450-2828 Fax: 45-4485-2829

France - Paris Tel: 33-1-69-53-63-20 Fax: 33-1-69-30-90-79

Germany - Munich Tel: 49-89-627-144-0 Fax: 49-89-627-144-44

Italy - Milan Tel: 39-0331-742611 Fax: 39-0331-466781

Netherlands - Drunen Tel: 31-416-690399 Fax: 31-416-690340

Spain - Madrid Tel: 34-91-708-08-90 Fax: 34-91-708-08-91

UK - Wokingham Tel: 44-118-921-5869 Fax: 44-118-921-5820

08/02/11